## affyio

April 20, 2011

check.cdf.type CDF file format function

## Description

This function returns a text string giving the file format for the supplied filename

## Usage

check.cdf.type(filename)

## Arguments

filename fullpath to a cdf file

## Value

Returns a string which is currently one of:

text	the cdf file is of the text format
xda	the cdf file is of the binary format used in GCOS
unknown	the parser can not handle this format or does not recognize this file as a CDF file

## Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

read.cdffile.list Read CDF file into an R list

## Description

This function reads the entire contents of a cdf file into an R list structure

#### Usage

```
read.cdffile.list(filename, cdf.path = getwd())
```

#### Arguments

filename	name of CDF file
cdf.path	path to cdf file

#### Details

Note that this function can be very memory intensive with large CDF files.

#### Value

returns a list structure. The exact contents may vary depending on the file format of the cdf file (see check.cdf.type)

## Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

read.celfile.header

Read header information from cel file

#### Description

This function reads some of the header information (appears before probe intensity data) from the supplied cel file.

#### Usage

read.celfile.header(filename, info=c("basic", "full"), verbose=FALSE)

#### Arguments

filename	name of CEL file. May be fully pathed
info	A string. basic returns the dimensions of the chip and the name of the CDF file used when the CEL file was produced. full returns more information in greater detail.
verbose	a logical. When true the parsing routine prints more information, typically useful for debugging.

#### Value

A list data structure.

#### Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

#### Description

This function reads PM, MM or both types of intensities into matrices. These matrices have all the probes for a probeset in adjacent rows

#### Usage

read.celfile.probeintensity.matrices(filenames, cdfInfo, rm.mask=FALSE, rm.outli

#### Arguments

filenames	a character vector of filenames
cdfInfo	a list with items giving PM and MM locations for desired probesets. In same structure as returned by make.cdf.package
rm.mask	a logical. Return these probes as NA if there are in the [MASK] section of the CEL file
rm.outliers	a logical. Return these probes as NA if there are in the [OUTLIERS] section of the CEL file.
rm.extra	a logical. Return these probes as NA if there are in the [OUTLIERS] section of the CEL file.
verbose	a logical. When true the parsing routine prints more information, typically useful for debugging.
which	a string specifing which probe type to return

#### Value

returns a list of matrix items. One matrix contains PM probe intensities, with probes in rows and arrays in columns

#### Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

read.celfile

#### Description

This function reads the entire contents of a CEL file into an R list structure

#### Usage

```
read.celfile(filename, intensity.means.only=FALSE)
```

#### Arguments

filename name of CEL file intensity.means.only If TRUE then read on only the MEAN section in INTENSITY

## Details

The list has four main items. HEADER, INTENSITY, MASKS, OUTLIERS. Note that INTEN-SITY is a list of three vectors MEAN, STDEV, NPIXELS. HEADER is also a list. Both of MASKS and OUTLIERS are matrices.

## Value

returns a list structure. The exact contents may vary depending on the file format of the CEL file

#### Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

# Index

\*Topic IO check.cdf.type, 1 read.cdffile.list,2 read.celfile,4 read.celfile.header,2read.celfile.probeintensity.matrices, 3 check.cdf.type, 1, 2list, 3logical, 2, 3 make.cdf.package,3matrix,3read.cdffile.list,2 read.celfile, 4read.celfile.header,2 read.celfile.probeintensity.matrices, 3