

# Intro to ALL data for Bioc monograph

VJ Carey

October 22, 2014

## 1 Introduction

This document is for authors of the Bioc monograph, it just goes over various aspects of the ALL data. Example analyses can be added here for illustration.

## 2 Attachment and data list

```
> library(ALL)
> data(ALL)
> show(ALL)
```

```
ExpressionSet (storageMode: lockedEnvironment)
assayData: 12625 features, 128 samples
  element names: exprs
protocolData: none
phenoData
  sampleNames: 01005 01010 ... LAL4 (128 total)
  varLabels: cod diagnosis ... date last seen (21 total)
  varMetadata: labelDescription
featureData: none
experimentData: use 'experimentData(object)'
  pubMedIds: 14684422 16243790
Annotation: hgu95av2
```

## 3 Tables and graphs for phenodata

```
> print(summary(pData(ALL)))
```

cod	diagnosis	sex	age	BT
Length:128	Length:128	F :42	Min. : 5.00	B2 :36

```

Class :character   Class :character   M      :83   1st Qu.:19.00   B3      :23
Mode  :character   Mode  :character   NA's: 3   Median  :29.00   B1      :19
                                     Mean    :32.37   T2      :15
                                     3rd Qu.:45.50   B4      :12
                                     Max.    :58.00   T3      :10
                                     NA's    :5      (Other):13

remission          CR                  date.cr                  t(4;11)
CR :99   Length:128                  Length:128                  Mode :logical
REF :15   Class :character            Class :character            FALSE:86
NA's:14   Mode  :character            Mode  :character            TRUE :7
                                     NA's  :35

```

```

t(9;22)           cyto.normal          citog                     mol.biol
Mode :logical     Mode :logical          Length:128                ALL1/AF4:10
FALSE:67          FALSE:69              Class :character          BCR/ABL :37
TRUE :26          TRUE :24              Mode  :character          E2A/PBX1: 5
NA's :35          NA's :35                          NEG      :74
                                     NUP-98   : 1
                                     p15/p16  : 1

```

```

fusion protein    mdr                  kinet                     ccr                      relapse
p190      :17     NEG :101             dyploid:94               Mode :logical           Mode :logical
p190/p210: 8     POS : 24             hyperd.:27              FALSE:74                FALSE:35
p210      : 8     NA's: 3             NA's : 7                TRUE :26                 TRUE :65
NA's      :95                      NA's :28                 NA's :28

```


```

transplant        f.u                  date last seen
Mode :logical     Length:128           Length:128
FALSE:91          Class :character      Class :character
TRUE :9           Mode  :character        Mode  :character
NA's :28

```

```
> hist(cvv <- apply(exprs(ALL),1,function(x)sd(x)/mean(x)))
```

### Histogram of `cvv <- apply(exprs(ALL), 1, function(x) sd(x)/mean`



```
> ok <- cvv > .08 & cvv < .18
> fALL <- ALL[ok,]
> show(fALL)
```

```
ExpressionSet (storageMode: lockedEnvironment)
assayData: 3841 features, 128 samples
  element names: exprs
protocolData: none
phenoData
  sampleNames: 01005 01010 ... LAL4 (128 total)
  varLabels: cod diagnosis ... date last seen (21 total)
  varMetadata: labelDescription
featureData: none
experimentData: use 'experimentData(object)'
  pubMedIds: 14684422 16243790
Annotation: hgu95av2
```

```
> allx2 <- data.frame(t(exprs(fALL)), class=ALL$BT)
```

```

> library(rpart)
> rp1 <- rpart(class~.,data=allx2)
> plot(rp1)
> text(rp1)

```

