

# An Introduction to *ShortRead*

**Martin Morgan**

**Modified: 21 October, 2013. Compiled: May 11, 2023**

```
> library("ShortRead")
```

The *ShortRead* package provides functionality for working with FASTQ files from high throughput sequence analysis. The package also contains functions for legacy (single-end, ungapped) aligned reads; for working with BAM files, please see the [Rsamtools](#), [GenomicRanges](#), [GenomicAlignments](#) and related packages.

## 1 Sample data

Sample FASTQ data are derived from ArrayExpress record [E-MTAB-1147](#). Paired-end FASTQ files were retrieved and then sampled to 20,000 records with

```
> sampler <- FastqSampler('E-MTAB-1147/fastq/ERR127302_1.fastq.gz', 20000)
> set.seed(123); ERR127302_1 <- yield(sampler)
> sampler <- FastqSampler('E-MTAB-1147/fastq/ERR127302_2.fastq.gz', 20000)
> set.seed(123); ERR127302_2 <- yield(sampler)
```

## 2 Functionality

Functionality is summarized in Table 1.

**Input** FASTQ files are large so processing involves iteration in 'chunks' using [FastqStreamer](#)

```
> strm <- FastqStreamer("a.fastq.gz")
> repeat {
+   fq <- yield(strm)
+   if (length(fq) == 0)
+     break
+   ## process chunk
+ }
```

or drawing a random sample from the file

```
> sampler <- FastqSampler("a.fastq.gz")
> fq <- yield(sampler)
```

The default size for both streams and samples is 1M records; this volume of data fits easily into memory. Use [countFastq](#) to get a quick and memory-efficient count of the number of records and nucleotides in a file

Input	
<code>FastqStreamer</code>	Iterate through FASTQ files in chunks
<code>FastqSampler</code>	Draw random samples from FASTQ files
<code>readFastq</code>	Read an entire FASTQ file into memory
<code>writeFastq</code>	Write FASTQ objects to a connection (file)
<code>countFastq</code>	Quickly count FASTQ records in files
Sequence and quality summary	
<code>alphabetFrequency</code>	Nucleotide or quality score use per read
<code>alphabetByCycle</code>	Nucleotide or quality score use by cycle
<code>alphabetScore</code>	Whole-read quality summary
<code>encoding</code>	Character / 'phred' score mapping
Quality assessment	
<code>qa</code>	Visit FASTQ files to collect QA statistics
<code>report</code>	Generate a quality assessment report
Filtering and trimming	
<code>srFilter</code>	Pre-defined and bespoke filters
<code>trimTails</code> , etc.	Trim low-quality nucleotides
<code>narrow</code>	Remove leading / trailing nucleotides
<code>tables</code>	Summarize read occurrence
<code>sruplicated</code> , etc.	Identify duplicate reads
<code>filterFastq</code>	Filter reads from one file to another

**Table 1:** Key functions for working with FASTQ files

```
> fl <- system.file(package="ShortRead", "extdata", "E-MTAB-1147",
+                   "ERR127302_1_subset.fastq.gz")
> countFastq(fl)

               records nucleotides  scores
ERR127302_1_subset.fastq.gz  20000    1440000 1440000
```

Small FASTQ files can be read in to memory in their entirety using `readFastq`; we do this for our sample data

```
> fq <- readFastq(fl)
```

The result of data input is an instance of class *ShortReadQ* (Table 2). This class contains

<code>DNASTringSet</code>	( <i>Biostrings</i> ) Short read sequences
<code>FastqQuality</code> , etc.	Quality encodings
<code>ShortReadQ</code>	Reads, quality scores, and ids

**Table 2:** Primary data types in the *ShortRead* package

reads, their quality scores, and optionally the id of the read.

```
> fq
class: ShortReadQ
length: 20000 reads; width: 72 cycles
> fq[1:5]
```

```
class: ShortReadQ
length: 5 reads; width: 72 cycles
> head(sread(fq), 3)
DNAStringSet object of length 3:
      width seq
[1]    72 GTCTGCTGTATCTGTGTGCGGCTGTCTCGCGGGAC...GTCAATGAAGGCCTGGAATGTCACTACCCCCAG
[2]    72 CTAGGGCAATCTTTGCAGCAATGAATGCCAATGG...CAGTGGCTTTTGAGGCCAGAGCAGACCTTCGGG
[3]    72 TGGGCTGTTCTTCTCACTGTGGCCTGACTAAAA...TGGCATTAAAGAAAGAGTCACGTTTCCCAAGTCT
> head(quality(fq), 3)
class: FastqQuality
quality:
BStringSet object of length 3:
      width seq
[1]    72 HHHHHHHHHHHHHHHHHHHHEBDBB?B:BBGG<D...ABFEFBDBD@DDECEE3>:?:@@>?=BAB?##
[2]    72 IIIIIIIIGIIIIIIIIHIIIEGBGHIIIIHGII...IIIIIIIIIIIGIIIEGIIGBGE@DDGGGIG
[3]    72 GGH BHGBGGGHHHHHHHHHHHHHFGHHHHHHHH...HHHHHHHHGHFHHHHHHHHHHHHHHH8AGDGGG>
```

The reads are represented as *DNAStringSet* instances, and can be manipulated with the rich tools defined in the *Biostrings* package. The quality scores are represented by a class that represents the quality encoding inferred from the file; the encoding in use can be discovered with

```
> encoding(quality(fq))

! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 :
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
; < = > ? @ A B C D E F G H I J K L M N O P Q R S T
26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j k l m n
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77
o p q r s t u v w x y z { | } ~
78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93
```

The primary source of documentation for these classes is `?ShortReadQ` and `?QualityScore`.

## 3 Common work flows

### 3.1 Quality assessment

FASTQ files are often used for basic quality assessment, often to augment the purely technical QA that might be provided by the sequencing center with QA relevant to overall experimental design. A QA report is generated by creating a vector of paths to FASTQ files

```
> fls <- dir("/path/to", "*fastq$", full=TRUE)
```

collecting statistics over the files

```
> qaSummary <- qa(fls, type="fastq")
```

and creating and viewing a report

```
> browseURL(report(qaSummary))
```

By default, the report is based on a sample of 1M reads.

These QA facilities are easily augmented by writing custom functions for reads sampled from files, or by exploring the elements of the object returned from `qa()`, e.g., for an analysis of ArrayExpress experiment E-MTAB-1147:

```
> qaSummary
class: FastqQA(10)
QA elements (access with qa[["elt"]]):
  readCounts: data.frame(16 3)
  baseCalls: data.frame(16 5)
  readQualityScore: data.frame(8192 4)
  baseQuality: data.frame(1504 3)
  alignQuality: data.frame(16 3)
  frequentSequences: data.frame(800 4)
  sequenceDistribution: data.frame(1953 4)
  perCycle: list(2)
    baseCall: data.frame(5681 4)
    quality: data.frame(44246 5)
  perTile: list(2)
    readCounts: data.frame(0 4)
    medianReadQualityScore: data.frame(0 4)
  adapterContamination: data.frame(16 1)
```

For instance, the count of reads in each lane is summarized in the `readCounts` element, and can be displayed as

```
> head(qaSummary[["readCounts"]])
```

	read	filter	aligned
ERR127302_1.fastq.gz	29741852	NA	NA
ERR127302_2.fastq.gz	29741852	NA	NA
ERR127303_1.fastq.gz	32665567	NA	NA
ERR127303_2.fastq.gz	32665567	NA	NA
ERR127304_1.fastq.gz	31876181	NA	NA
ERR127304_2.fastq.gz	31876181	NA	NA

```
> head(qaSummary[["baseCalls"]])
```

	A	C	G	T	N
ERR127302_1.fastq.gz	16439860	19641395	19547421	16335620	35704
ERR127302_2.fastq.gz	16238041	20020655	19608896	16060661	71747
ERR127303_1.fastq.gz	16826258	19204659	19448727	16507994	12362
ERR127303_2.fastq.gz	16426991	19822132	19374419	16324978	51480
ERR127304_1.fastq.gz	16279217	19740457	19879137	16089405	11784
ERR127304_2.fastq.gz	15984998	20297064	19812474	15853510	51954

The `readCounts` element contains a data frame with 1 row and 3 columns (these dimensions are indicated in the parenthetical annotation of `readCounts` in the output of `qaSummary`). The rows represent different lanes. The columns indicated the number of reads, the number of reads surviving the Solexa filtering criteria, and the number of reads aligned to the reference genome for the lane. The `baseCalls` element summarizes base calls in the unfiltered reads.

The functions that produce the report tables and graphics are internal to the package. They can be accessed through calling `ShortRead:::functionName` where `functionName` is one of the functions listed below, organized by report section.

Run Summary : `.ppnCount`, `.df2a`, `.laneLbl`, `.plotReadQuality`

Read Distribution : `.plotReadOccurrences`, `.freqSequences`

Cycle Specific : `.plotCycleBaseCall`, `.plotCycleQuality`

Tile Performance : `.atQuantile`, `.colorkeyNames`, `.plotTileLocalCoords`, `.tileGeometry`, `.plotTileCounts`, `.plotTileQualityScore`

Alignment : `.plotAlignQuality`

Multiple Alignment : `.plotMultipleAlignmentCount`

Depth of Coverage : `.plotDepthOfCoverage`

Adapter Contamination : `.ppnCount`

### 3.2 Filtering and trimming

It is straight-forward to create filters to eliminate reads or to trim reads based on diverse characteristics. The basic structure is to open a FASTQ file, iterate through chunks of the file performing filtering or trimming steps, and appending the filtered data to a new file.

```
> myFilterAndTrim <-  
+   function(fl, destination=sprintf("%s_subset", fl))  
+ {  
+   ## open input stream  
+   stream <- open(FastqStreamer(fl))  
+   on.exit(close(stream))  
+  
+   repeat {  
+     ## input chunk  
+     fq <- yield(stream)  
+     if (length(fq) == 0)  
+       break  
+  
+     ## trim and filter, e.g., reads cannot contain 'N'...  
+     fq <- fq[nFilter()(fq)] # see ?srFilter for pre-defined filters  
+     ## trim as soon as 2 of 5 nucleotides has quality encoding less  
+     ## than "4" (phred score 20)  
+     fq <- trimTailw(fq, 2, "4", 2)  
+     ## drop reads that are less than 36nt  
+     fq <- fq[width(fq) >= 36]  
+  
+     ## append to destination  
+     writeFastq(fq, destination, "a")  
+   }
```

```
+   }  
+ }
```

This is memory efficient and flexible. Care must be taken to coordinate pairs of FASTQ files representing paired-end reads, to preserve order.

## 4 Using *ShortRead* for data exploration

### 4.1 Data I/O

*ShortRead* provides a variety of methods to read data into *R*, in addition to `readAligned`.

#### 4.1.1 `readXStringColumns`

`readXStringColumns` reads a column of DNA or other sequence-like data. For instance, the Solexa files `s_N_export.txt` contain lines with the following information:

```
> ## location of file  
> exptPath <- system.file("extdata", package="ShortRead")  
> sp <- SolexaPath(exptPath)  
> pattern <- "s_2_export.txt"  
> fl <- file.path(analysisPath(sp), pattern)  
> strsplit(readLines(fl, n=1), "\t")  
  
[[1]]  
[1] "HWI-EAS88" "3"  
[3] "2" "1"  
[5] "451" "945"  
[7] "" ""  
[9] "CCAGAGCCCCCGCTCACTCCTGAACCACTCTCTC" "YQMIMIMMLMMIGIGMFICMFFFIMMHHIHAAGAH"  
[11] "NM" ""  
[13] "" ""  
[15] "" ""  
[17] "" ""  
[19] "" ""  
[21] "" "N"  
  
> length(readLines(fl))  
[1] 1000
```

Column 9 is the read, and column 10 the ASCII-encoded Solexa Fastq quality score; there are 1000 lines (i.e., 1000 reads) in this sample file.

Suppose the task is to read column 9 as a *DNAStringSet* and column 10 as a *BStringSet*. *DNAStringSet* is a class that contains IUPAC-encoded DNA strings (IUPAC code allows for nucleotide ambiguity); *BStringSet* is a class that contains any character with ASCII code 0 through 255. Both of these classes are defined in the *Biostrings* package. `readXStringColumns` allows us to read in columns of text as these classes.

Important arguments for `readXStringColumns` are the `dirPath` in which to look for files, the `pattern` of files to parse, and the `colClasses` of the columns to be parsed. The `dirPath` and `pattern` arguments are like `list.files`. `colClasses` is like the corresponding argument to

## An Introduction to *ShortRead*

`read.table`: it is a *list* specifying the class of each column to be read, or `NULL` if the column is to be ignored. In our case there are 21 columns, and we would like to read in columns 9 and 10. Hence

```
> colClasses <- rep(list(NULL), 21)
> colClasses[9:10] <- c("DNASTring", "BString")
> names(colClasses)[9:10] <- c("read", "quality")
```

We use the class of the type of sequence (e.g., *DNASTring* or *BString*), rather than the class of the set that we will create (e.g., *DNASTringSet* or *BStringSet*). Applying names to `colClasses` is not required, but makes subsequent manipulation easier. We are now ready to read our file

```
> cols <- readXStringColumns(analysisPath(sp), pattern, colClasses)
> cols
```

\$read

DNASTringSet object of length 1000:

```
      width seq
[1]    35 CCAGAGCCCCCGCTCACTCCTGAACCACTCTCTC
[2]    35 AGCCTCCTCTTTCTGAATATACGGCAGAGCTGTT
[3]    35 ACCAAAAACACCACATACACGAGCAACACACGTAC
[4]    35 AATCGGAAGAGCTCGTATGCCGGCTTCTGCTTGGA
[5]    35 AAAGATAAACTCTAGGCCACCTCCTCTCTCTCTA
...    ...
[996]   35 GTGGCAGCGGTGAGGCGGCGGGGGGGGTTGTTTG
[997]   35 GTCGGAGGTCAGCAAGCTGTAGTCGGTGTAAGCT
[998]   35 GTCATAAATTGGACAGTGTGGCTCCAGTATTCTCA
[999]   35 ATCTACATTAAGGTCAATTACAATGATAAATAAAA
[1000]  35 TTCTCAGCCATTCACTATTCTCAGGTGAAAATTC
```

\$quality

BStringSet object of length 1000:

```
      width seq
[1]    35 YQMIMIMMLMMIGIGMFCMFFFIMMHIIHAAGAH
[2]    35 ZXZUYXZQYYXUZXYZYZZXZZIMFHXQSUPPO
[3]    35 LGDHLILLLLLLIGFLLALDIFDILLHFIAECAE
[4]    35 JJYYIYVSYYYYYYYSDYYWVUYNNVSVQQELQ
[5]    35 LLLILIIIDLLHLLLLLLLLLLALLLHLLLEL
...    ...
[996]   35 ZZZZZZZZZYUYZYUYZKYUDUZIYYODJGUGAA
[997]   35 ZZZZZZZZZZZZZZZZZZZYXXZYSSXXUHHQ
[998]   35 ZZZZZZZZZZZZZZZZZZZYZZZYZZZXZUUUUS
[999]   35 ZZZZZZZZZZYXZYZYZZZYZZXKZSYXUUNUN
[1000]  35 ZZZZZZZZZZZZZZZZZZZYYSYSZXUUUUU
```

The file has been parsed, and appropriate data objects were created.

A feature of `readXStringColumns` and other input functions in the *ShortRead* package is that all files matching `pattern` in the specified `dirPath` will be read into a single object. This provides a convenient way to, for instance, parse all tiles in a Solexa lane into a single *DNASTringSet* object.

There are several advantages to reading columns as *XStringSet* objects. These are more compact than the corresponding character representation:

```
> object.size(cols$read)
51032 bytes
> object.size(as.character(cols$read))
102128 bytes
```

They are also created much more quickly. And the *DNASTringSet* and related classes are used extensively in *ShortRead*, *Biostrings*, *BSgenome* and other packages relevant to short read technology.

## 4.2 Sorting

Short reads can be sorted using `sort`, or the permutation required to bring the short read into lexicographic order can be determined using `sorter`. These functions are different from `sort` and `order` because the result is independent of the locale, and they operate quickly on *DNASTringSet* and *BStringSet* objects.

The function `sorted` identifies duplicate reads. This function returns a logical vector, similar to `unique`. The negation of the result from `sorted` is useful to create a collection of unique reads. An experimental scenario where this might be useful is when the sample preparation involved PCR. In this case, replicate reads may be due to artifacts of sample preparation, rather than differential representation of sequence in the sample prior to PCR.

## 4.3 Summarizing read occurrence

The `tables` function summarizes read occurrences, for instance,

```
> tbls <- tables(fq)
> names(tbls)
[1] "top"          "distribution"
> tbls$top[1:5]
CTATTCTCTACAAACCACAAAGACATTGGAACACTATACCTATTATTCGGCGCATGAGCTGGAGTCCTAGGC
                                                                    7
GTTTGGTCTAGGGGTAGCCTGAGAATAGGGGAAATCAGTGAATGAAGCCTCCTATGATGGCAAATACAGCT
                                                                    7
CGATAACGTTGTAGATGTGGTCGTTACCTAGAAGTTGCCTGGCTGGCCAGCTCGGCTCGAATAAGGAGGC
                                                                    6
CTAGCATTTACCATCTCACTTCTAGGAATACTAGTATATCGCTCACACCTCATATCCTCCCTACTATGCCTA
                                                                    6
CACGAGCATATTTACCTCCGCTACCATAATCATCGCTATCCCCACGGCGTCAAAGTATTTAGCTGACTCG
                                                                    5

> head(tbls$distribution)
      nOccurrences nReads
1              1 19291
2              2   247
```

3	3	34
4	4	18
5	5	3
6	6	2

The `top` component returned by `tables` is a list tallying the most commonly occurring sequences in the short reads. Knowledgeable readers will recognize the top-occurring read as a close match to one of the manufacturer adapters.

The `distribution` component returned by `tables` is a data frame that summarizes how many reads (e.g., 19291) are represented exactly 1 times.

### 4.4 Finding near matches to short sequences

Facilities exist for finding reads that are near matches to specific sequences, e.g., manufacturer adapter or primer sequences. `srdistance` reports the edit distance between each read and a reference sequence. `srdistance` is implemented to work efficiently for reference sequences whose length is of the same order as the reads themselves (10's to 100's of bases). To find reads close to the most common read in the example above, one might say

```
> dist <- srdistance(sread(fq), names(tbls$top)[1])[[1]]
> table(dist)[1:10]

dist
 0  4  6 10 14 18 20 21 31 32
 7  1  3  1  3  1  4  1  3 11
```

'Near' matches can be filtered, e.g.,

```
> fqSubset <- fq[dist>4]
```

A different strategy can be used to tally or eliminate reads that consist predominantly of a single nucleotide. `alphabetFrequency` calculates the frequency of each nucleotide (in DNA strings) or letter (for other string sets) in each read. Thus one could identify and eliminate reads with more than 30 adenine nucleotides with

```
> countA <- alphabetFrequency(sread(fq))[, "A"]
> fqNoPolyA <- fq[countA < 30]
```

`alphabetFrequency`, which simply counts nucleotides, is much faster than `srdistance`, which performs full pairwise alignment of each read to the subject.

Users wanting to use *R* for whole-genome alignments or more flexible pairwise alignment are encouraged to investigate the *Biostrings* package, especially the *PDict* class and `matchPDict` and `pairwiseAlignment` functions.

## 5 Legacy support for early file formats

The *ShortRead* package contains functions and classes to support early file formats and ungapped alignments. Help pages are flagged as 'legacy'; versions of *ShortRead* prior to 1.21 (*Bioconductor* version 2.13) contain a vignette illustrating common work flows with these file formats.

## 6 sessionInfo

---

```
> toLatex(sessionInfo())
```

- R version 4.3.0 RC (2023-04-13 r84257), x86\_64-apple-darwin20
- Locale: C/en\_US.UTF-8/en\_US.UTF-8/C/en\_US.UTF-8/en\_US.UTF-8
- Time zone: America/New\_York
- TZcode source: internal
- Running under: macOS Monterey 12.6.4
- Matrix products: default
- BLAS:  
/Library/Frameworks/R.framework/Versions/4.3-x86\_64/Resources/lib/libRblas.0.dylib
- LAPACK:  
/Library/Frameworks/R.framework/Versions/4.3-x86\_64/Resources/lib/libRlapack.dylib  
; LAPACK version3.11.0
- Base packages: base, datasets, grDevices, graphics, methods, stats, stats4, utils
- Other packages: Biobase 2.60.0, BiocGenerics 0.46.0, BiocParallel 1.34.1,  
Biostrings 2.68.0, GenomInfoDb 1.36.0, GenomicAlignments 1.36.0,  
GenomicRanges 1.52.0, IRanges 2.34.0, MatrixGenerics 1.12.0, Rsamtools 2.16.0,  
S4Vectors 0.38.1, ShortRead 1.58.0, SummarizedExperiment 1.30.1, XVector 0.40.0,  
matrixStats 0.63.0
- Loaded via a namespace (and not attached): BiocManager 1.30.20,  
BiocStyle 2.28.0, DelayedArray 0.26.2, GenomInfoDbData 1.2.10, Matrix 1.5-4,  
RColorBrewer 1.1-3, RCurl 1.98-1.12, Rcpp 1.0.10, S4Arrays 1.0.1, bitops 1.0-7,  
cli 3.6.1, codetools 0.2-19, compiler 4.3.0, crayon 1.5.2, deldir 1.0-6, digest 0.6.31,  
evaluate 0.21, fastmap 1.1.1, grid 4.3.0, htmltools 0.5.5, hwriter 1.3.2.1,  
interp 1.1-4, jpeg 0.1-10, knitr 1.42, lattice 0.21-8, latticeExtra 0.6-30,  
parallel 4.3.0, png 0.1-8, rlang 1.1.1, rmarkdown 2.21, tools 4.3.0, xfun 0.39,  
yaml 2.3.7, zlibbioc 1.46.0