

# Package ‘scRepertoire’

August 26, 2024

**Title** A toolkit for single-cell immune receptor profiling

**Version** 2.0.0

**Description**

scRepertoire is a toolkit for processing and analyzing single-cell T-cell receptor (TCR) and immunoglobulin (Ig). The scRepertoire framework supports use of 10x, AIRR, BD, MiXCR, Omniscope, TRUST4, and WAT3R single-cell formats. The functionality includes basic clonal analyses, repertoire summaries, distance-based clustering and interaction with the popular Seurat and SingleCellExperiment/Bioconductor R workflows.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.1

**biocViews** Software, ImmunoOncology, SingleCell, Classification, Annotation, Sequencing

**Depends** ggplot2, R (>= 4.0)

**Imports** cubature, dplyr, evmix, ggalluvial, ggdendro, ggraph, grDevices, igraph, iNEXT, methods, plyr, quantreg, Rcpp, reshape2, rjson, rlang, S4Vectors, SeuratObject, SingleCellExperiment, stats, stringr, stringdist, SummarizedExperiment, tidygraph, truncdist, utils, VGAM, hash

**Suggests** BiocManager, BiocStyle, circlize, knitr, rmarkdown, scales, scatter, Seurat, spelling, testthat (>= 3.0.0), vdiff

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**Language** en-US

**LinkingTo** Rcpp

**URL** <https://www.borch.dev/uploads/screpertoire/>

**BugReports** <https://github.com/ncborcherding/scRepertoire/issues>

**git\_url** <https://git.bioconductor.org/packages/scRepertoire>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** 52b5a50

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-08-25

**Author** Nick Borcharding [aut, cre],

Qile Yang [aut],

Ksenia Safina [aut]

**Maintainer** Nick Borcharding <ncborch@gmail.com>

## Contents

scRepertoire-package . . . . .	3
addVariable . . . . .	3
alluvialClones . . . . .	4
clonalAbundance . . . . .	6
clonalBias . . . . .	7
clonalCluster . . . . .	8
clonalCompare . . . . .	9
clonalDiversity . . . . .	11
clonalHomeostasis . . . . .	13
clonalLength . . . . .	14
clonalNetwork . . . . .	15
clonalOccupy . . . . .	16
clonalOverlap . . . . .	18
clonalOverlay . . . . .	19
clonalProportion . . . . .	20
clonalQuant . . . . .	21
clonalRarefaction . . . . .	22
clonalScatter . . . . .	24
clonalSizeDistribution . . . . .	25
combineBCR . . . . .	27
combineExpression . . . . .	28
combineTCR . . . . .	29
contig_list . . . . .	30
createHTOContigList . . . . .	31
exportClones . . . . .	32
getCirclize . . . . .	33
highlightClones . . . . .	34
loadContigs . . . . .	35
mini_contig_list . . . . .	36
percentAA . . . . .	36
percentGenes . . . . .	37
percentKmer . . . . .	38
percentVJ . . . . .	39
positionalEntropy . . . . .	40
positionalProperty . . . . .	41

*scRepertoire-package* 3

scRep_example . . . . .	42
StartracDiversity . . . . .	43
subsetClones . . . . .	44
vizGenes . . . . .	45

**Index** 47

---

scRepertoire-package    *scRepertoire: A toolkit for single-cell immune receptor profiling*

---

## Description

scRepertoire is a toolkit for processing and analyzing single-cell T-cell receptor (TCR) and immunoglobulin (Ig). The scRepertoire framework supports use of 10x, AIRR, BD, MiXCR, Omniscope, TRUST4, and WAT3R single-cell formats. The functionality includes basic clonal analyses, repertoire summaries, distance-based clustering and interaction with the popular Seurat and SingleCellExperiment/Bioconductor R workflows.

## Author(s)

**Maintainer:** Nick Borcharding <ncborch@gmail.com>

Authors:

- Qile Yang <qile0317@gmail.com>
- Ksenia Safina <safina@broadinstitute.org>

## See Also

Useful links:

- <https://www.borch.dev/uploads/screpertoire/>
- Report bugs at <https://github.com/ncborcharding/scRepertoire/issues>

---

addVariable                    *Adding variables after combineTCR() or combineBCR()*

---

## Description

This function adds variables to the product of `combineTCR`, or `combineBCR` to be used in later visualizations. For each element, the function will add a column (labeled by **variable.name**) with the variable. The length of the **variables** parameter needs to match the length of the combined object.

## Usage

```
addVariable(input.data, variable.name = NULL, variables = NULL)
```

### Arguments

`input.data` The product of `combineTCR` or `combineBCR`.  
`variable.name` The new column name/header.  
`variables` The exact values to add to each element of the list.

### Value

`input.data` list with the variable column added to each element.

### Examples

```
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
combined <- addVariable(combined,
                       variable.name = "Type",
                       variables = rep(c("B", "L"), 4))
```

---

alluvialClones

*Alluvial plotting for single-cell object meta data*

---

### Description

View the proportional contribution of clones by Seurat or SCE object meta data after `combineExpression`. The visualization is based on the `ggalluvial` package, which requires the aesthetics to be part of the axes that are visualized. Therefore, `alpha`, `facet`, and `color` should be part of the the axes you wish to view or will add an additional stratum/column to the end of the graph.

### Usage

```
alluvialClones(
  sc.data,
  cloneCall = "strict",
  chain = "both",
  y.axes = NULL,
  color = NULL,
  alpha = NULL,
  facet = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

<code>sc.data</code>	The single-cell object to visualize after <code>combineExpression</code> .
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
<code>chain</code>	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
<code>y.axes</code>	The columns that will separate the proportional . visualizations.
<code>color</code>	The column header or clone(s) to be highlighted.
<code>alpha</code>	The column header to have gradated opacity.
<code>facet</code>	The column label to separate.
<code>exportTable</code>	Exports a table of the data into the global environment in addition to the visualization.
<code>palette</code>	Colors to use in visualization - input any <code>hcl.pals</code> .

**Value**

Alluvial ggplot comparing clone distribution.

**Examples**

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                  "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined, scRep_example)
scRep_example$Patient <- substring(scRep_example$orig.ident, 1,3)

#Using alluvialClones()
alluvialClones(scRep_example,
              cloneCall = "gene",
              y.axes = c("Patient", "ident"),
              color = "ident")
```

---

clonalAbundance	<i>Demonstrate the relative abundance of clones by group or sample</i>
-----------------	------------------------------------------------------------------------

---

### Description

Displays the number of clones at specific frequencies by sample or group. Visualization can either be a line graph (**scale** = FALSE) using calculated numbers or density plot (**scale** = TRUE). Multiple sequencing runs can be group together using the **group** parameter. If a matrix output for the data is preferred, set **exportTable** = TRUE.

### Usage

```
clonalAbundance(
  input.data,
  cloneCall = "strict",
  chain = "both",
  scale = FALSE,
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

### Arguments

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL"
scale	Converts the graphs into density plots in order to show relative distributions.
group.by	The variable to use for grouping
exportTable	Returns the data frame used for forming the graph to the visualization.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

### Value

ggplot of the total or relative abundance of clones across quanta

### Examples

```
#Making combined contig data
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
    "P19B", "P19L", "P20B", "P20L"))
clonalAbundance(combined,
```

```
cloneCall = "gene",
scale = FALSE)
```

---

clonalBias

*Examine skew of clones towards a cluster or compartment*


---

## Description

The metric seeks to quantify how individual clones are skewed towards a specific cellular compartment or cluster. A clone bias of **1** - indicates that a clone is composed of cells from a single compartment or cluster, while a clone bias of **0** - matches the background subtype distribution. Please read and cite the following [manuscript](#) if using `clonalBias`.

## Usage

```
clonalBias(
  sc.data,
  cloneCall = "strict",
  split.by = NULL,
  group.by = NULL,
  n.boots = 20,
  min.expand = 10,
  exportTable = FALSE,
  palette = "inferno"
)
```

## Arguments

<code>sc.data</code>	The single-cell object after <a href="#">combineExpression</a> .
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
<code>split.by</code>	The variable to use for calculating the baseline frequencies. For example, "Type" for lung vs peripheral blood comparison
<code>group.by</code>	The variable to use for calculating bias
<code>n.boots</code>	number of bootstraps to downsample.
<code>min.expand</code>	clone frequency cut off for the purpose of comparison.
<code>exportTable</code>	Returns the data frame used for forming the graph.
<code>palette</code>	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

## Value

ggplot scatter plot with clone bias

## Examples

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B","P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined, scRep_example)
scRep_example$Patient <- substring(scRep_example$orig.ident,1,3)

#Using clonalBias()
clonalBias(scRep_example,
           cloneCall = "aa",
           split.by = "Patient",
           group.by = "seurat_clusters",
           n.boots = 5,
           min.expand = 2)
```

---

clonalCluster

*Clustering adaptive receptor sequences by edit distance*

---

## Description

This function uses edit distances of either the nucleotide or amino acid sequences of the CDR3 and V genes to cluster similar TCR/BCRs together. As a default, the function takes the input from [combineTCR](#), [combineBCR](#) or [combineExpression](#) and amends a cluster to the data frame or meta data. If **exportGraph** is set to TRUE, the function returns an igraph object of the connected sequences.

## Usage

```
clonalCluster(
  input.data,
  chain = "TRB",
  sequence = "aa",
  samples = NULL,
  threshold = 0.85,
  group.by = NULL,
  exportGraph = FALSE
)
```



**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> or <code>combineExpression</code> .
chain	Indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
sequence	Clustering based on either "aa" or "nt".
samples	The specific samples to isolate for visualization.
threshold	The normalized edit distance to consider. The higher the number the more similarity of sequence will be used for clustering.
group.by	The column header used for to group contigs. If (NULL), clusters will be calculated across samples.
exportGraph	Return an igraph object of connected sequences (TRUE) or the amended input with a new cluster-based variable (FALSE).

**Value**

Either amended input with edit-distanced clusters added or igraph object of connect sequences

**Examples**

```
# Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

sub_combined <- clonalCluster(combined[c(1,2)],
                              chain = "TRA",
                              sequence = "aa")
```

---

clonalCompare

*Demonstrate the difference in clonal proportion between clones*

---

**Description**

This function produces an alluvial or area graph of the proportion of the indicated clones for all or selected samples (using the **samples** parameter). Individual clones can be selected using the **clones** parameter with the specific sequence of interest or using the **top.clones** parameter with the top n clones by proportion to be visualized.

**Usage**

```
clonalCompare(
  input.data,
  cloneCall = "strict",
  chain = "both",
  samples = NULL,
```

```

clones = NULL,
top.clones = NULL,
highlight.clones = NULL,
relabel.clones = FALSE,
group.by = NULL,
graph = "alluvial",
exportTable = FALSE,
palette = "inferno"
)

```

### Arguments

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
samples	The specific samples to isolate for visualization.
clones	The specific clonal sequences of interest.
top.clones	The top number of clonal sequences per group. (e.g., top.clones = 5)
highlight.clones	Clonal sequences to highlight, if present, all other clones returned will be grey.
relabel.clones	Simplify the legend of the graph by returning clones that are numerically indexed.
group.by	If using a single-cell object, the column header to group the new list. <b>NULL</b> will return the active identity or cluster.
graph	The type of graph produced, either " <b>alluvial</b> " or " <b>area</b> ".
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

### Value

ggplot of the proportion of total sequencing read of selecting clones

### Examples

```

#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

clonalCompare(combined,
              top.clones = 5,
              samples = c("P17B", "P17L"),
              cloneCall="aa")

```

---

clonalDiversity	<i>Calculate the clonal diversity for samples or groupings</i>
-----------------	----------------------------------------------------------------

---

### Description

This function calculates traditional measures of diversity - **Shannon, inverse Simpson, normalized entropy, Gini-Simpson, Chao1 index**, and **abundance-based coverage estimators (ACE)** measure of species evenness by sample or group. The function automatically down samples the diversity metrics using 100 boot straps (**n.boots = 100**) and outputs the mean of the values. The group parameter can be used to condense the individual samples. If a matrix output for the data is preferred, set **exportTable = TRUE**.

### Usage

```
clonalDiversity(
  input.data,
  cloneCall = "strict",
  chain = "both",
  group.by = NULL,
  x.axis = NULL,
  metrics = c("shannon", "inv.simpson", "norm.entropy", "gini.simpson", "chao1", "ACE"),
  exportTable = FALSE,
  palette = "inferno",
  n.boots = 100,
  return.boots = FALSE,
  skip.boots = FALSE
)
```

### Arguments

<code>input.data</code>	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
<code>chain</code>	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
<code>group.by</code>	Variable in which to combine for the diversity calculation.
<code>x.axis</code>	Additional variable grouping that will space the sample along the x-axis.
<code>metrics</code>	The indices to use in diversity calculations - "shannon", "inv.simpson", "norm.entropy", "gini.simpson", "chao1", "ACE".
<code>exportTable</code>	Exports a table of the data into the global environment in addition to the visualization.
<code>palette</code>	Colors to use in visualization - input any <code>hcl.pals</code> .
<code>n.boots</code>	number of bootstraps to down sample in order to get mean diversity.
<code>return.boots</code>	export boot strapped values calculated - will automatically <code>exportTable = TRUE</code> .
<code>skip.boots</code>	remove down sampling and boot strapping from the calculation.

**Details**

The formulas for the indices and estimators are as follows:

**Shannon Index:**

$$Index = - \sum p_i * \log(p_i)$$

**Inverse Simpson Index:**

$$Index = \frac{1}{(\sum_{i=1}^S p_i^2)}$$

**Normalized Entropy:**

$$Index = - \frac{\sum_{i=1}^S p_i \ln(p_i)}{\ln(S)}$$

**Gini-Simpson Index:**

$$Index = 1 - \sum_{i=1}^S p_i^2$$

**Chao1 Index:**

$$Index = S_{obs} + \frac{n_1(n_1 - 1)}{2 * n_2 + 1}$$

**Abundance-based Coverage Estimator (ACE):**

$$Index = S_{abund} + \frac{S_{rare}}{C_{ace}} + \frac{F_1}{C_{ace}}$$

Where:

- $p_i$  is the proportion of species  $i$  in the dataset.
- $S$  is the total number of species.
- $n_1$  and  $n_2$  are the number of singletons and doubletons, respectively.
- $S_{abund}$ ,  $S_{rare}$ ,  $C_{ace}$ , and  $F_1$  are parameters derived from the data.

**Value**

ggplot of the diversity of clones by group

**Author(s)**

Andrew Malone, Nick Borcharding

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                "P19B", "P19L", "P20B", "P20L"))
clonalDiversity(combined, cloneCall = "gene")
```

---

clonalHomeostasis      *Examining the clonal homeostasis of the repertoire*

---

## Description

This function calculates the space occupied by clone proportions. The grouping of these clones is based on the parameter **cloneSize**, at default, **cloneSize** will group the clones into bins of Rare = 0 to 0.0001, Small = 0.0001 to 0.001, etc. To adjust the proportions, change the number or labeling of the cloneSize parameter. If a matrix output for the data is preferred, set **exportTable** = TRUE.

## Usage

```
clonalHomeostasis(
  input.data,
  cloneSize = c(Rare = 1e-04, Small = 0.001, Medium = 0.01, Large = 0.1, Hyperexpanded =
    1),
  cloneCall = "strict",
  chain = "both",
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

## Arguments

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
cloneSize	The cut points of the proportions.
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
exportTable	Exports a table of the data into the global environment in addition to the visualization.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

## Value

ggplot of the space occupied by the specific proportion of clones

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
clonalHomeostasis(combined, cloneCall = "gene")
```

---

clonalLength

*Demonstrate the distribution of clonal length*


---

**Description**

This function displays either the nucleotide (**nt**) or amino acid (**aa**) sequence length. The sequence length visualized can be selected using the chains parameter, either the combined clone (both chains) or across all single chains. Visualization can either be a histogram or if **scale = TRUE**, the output will be a density plot. Multiple sequencing runs can be group together using the group.by parameter.

**Usage**

```
clonalLength(
  input.data,
  cloneCall = "aa",
  chain = "both",
  group.by = NULL,
  scale = FALSE,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
cloneCall	How to call the clone - CDR3 nucleotide ( <b>nt</b> ) or CDR3 amino acid ( <b>aa</b> ).
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
scale	Converts the graphs into density plots in order to show relative distributions.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot of the discrete or relative length distributions of clone sequences

## Examples

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
clonalLength(combined, cloneCall="aa", chain = "both")
```

---

clonalNetwork

*Visualize clonal network along reduced dimensions*

---

## Description

This function generates a network based on clonal proportions of an indicated identity and then superimposes the network onto a single-cell object dimensional reduction plot.

## Usage

```
clonalNetwork(
  sc.data,
  reduction = "umap",
  group.by = "ident",
  filter.clones = NULL,
  filter.identity = NULL,
  filter.proportion = NULL,
  filter.graph = FALSE,
  cloneCall = "strict",
  chain = "both",
  exportTable = FALSE,
  exportClones = FALSE,
  palette = "inferno"
)
```

## Arguments

sc.data	The single-cell object after <a href="#">combineExpression</a> .
reduction	The name of the dimensional reduction of the single-cell object.
group.by	The variable to use for the nodes.
filter.clones	Use to select the top n clones (e.g., <b>filter.clones</b> = 2000) or n of clones based on the minimum number of all the comparators (e.g., <b>filter.clone</b> = "min").
filter.identity	Display the network for a specific level of the indicated identity.
filter.proportion	Remove clones from the network below a specific proportion.
filter.graph	Remove the reciprocal edges from the half of the graph, allowing for cleaner visualization.

cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
exportTable	Exports a table of the data into the global environment in addition to the visualization.
exportClones	Exports a table of clones that are shared across multiple identity groups and ordered by the total number of clone copies.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot object

**Examples**

```
## Not run:
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined, scRep_example)

#Using clonalNetwork()
clonalNetwork(scRep_example,
              reduction = "umap",
              group.by = "seurat_clusters")

## End(Not run)
```

---

clonalOccupancy

*Visualize the number of single cells with cloneSizes by cluster*

---

**Description**

View the count of clones frequency group in Seurat or SCE object meta data after [combineExpression](#). The visualization will take the new meta data variable "**cloneSize**" and plot the number of cells with each designation using a secondary variable, like cluster. Credit to the idea goes to Drs. Carmona and Andreatta and their work with [ProjectTIL](#).



**Usage**

```
clonalOccupy(
  sc.data,
  x.axis = "ident",
  label = TRUE,
  facet.by = NULL,
  proportion = FALSE,
  na.include = FALSE,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

sc.data	The single-cell object after <a href="#">combineExpression</a> .
x.axis	The variable in the meta data to graph along the x.axis.
label	Include the number of clone in each category by x.axis variable.
facet.by	The column header used for faceting the graph.
proportion	Convert the stacked bars into relative proportion.
na.include	Visualize NA values or not.
exportTable	Exports a table of the data into the global environment in addition to the visualization.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

Stacked bar plot of counts of cells by clone frequency group

**Examples**

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
    "P19B","P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined, scRep_example)

#Using clonalOccupy
clonalOccupy(scRep_example, x.axis = "ident")
table <- clonalOccupy(scRep_example, x.axis = "ident", exportTable = TRUE)
```

clonalOverlap

*Examining the clonal overlap between groups or samples***Description**

This functions allows for the calculation and visualizations of various overlap metrics for clones. The methods include overlap coefficient (**overlap**), Morisita's overlap index (**morisita**), Jaccard index (**jaccard**), cosine similarity (**cosine**) or the exact number of clonal overlap (**raw**).

**Usage**

```
clonalOverlap(
  input.data,
  cloneCall = "strict",
  method = NULL,
  chain = "both",
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
method	The method to calculate the "overlap", "morisita", "jaccard", "cosine" indices or "raw" for the base numbers.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL"
group.by	The variable to use for grouping.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Details**

The formulas for the indices are as follows:

**Overlap Coefficient:**

$$overlap = \frac{\sum \min(a, b)}{\min(\sum a, \sum b)}$$

**Raw Count Overlap:**

$$raw = \sum \min(a, b)$$

**Morisita Index:**

$$morisita = \frac{\sum ab}{(\sum a)(\sum b)}$$

**Jaccard Index:**

$$jaccard = \frac{\sum \min(a, b)}{\sum a + \sum b - \sum \min(a, b)}$$

**Cosine Similarity:**

$$cosine = \frac{\sum ab}{\sqrt{(\sum a^2)(\sum b^2)}}$$

Where:

- $a$  and  $b$  are the abundances of species  $i$  in groups A and B, respectively.

**Value**

ggplot of the overlap of clones by group

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

clonalOverlap(combined,
              cloneCall = "aa",
              method = "jaccard")
```

---

clonalOverlay

*Visualize distribution of clonal frequency overlaid on dimensional reduction plots*

---

**Description**

This function allows the user to visualize the clonal expansion by overlaying the cells with specific clonal frequency onto the dimensional reduction plots in Seurat. Credit to the idea goes to Drs Andreatta and Carmona and their work with [ProjectTIL](#).

**Usage**

```
clonalOverlay(
  sc.data,
  reduction = NULL,
  freq.cutpoint = 30,
  bins = 25,
  facet.by = NULL
)
```

**Arguments**

sc.data	The single-cell object after <code>combineExpression</code> .
reduction	The dimensional reduction to visualize
freq.cutpoint	The overlay cut point to include, this corresponds to the Frequency variable in the single-cell object
bins	The number of contours to the overlay
facet.by	meta data variable to facet the comparison

**Value**

ggplot object

**Author(s)**

Francesco Mazziotta, Nick Borcharding

**Examples**

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined,
                                  scRep_example)

#Using clonalOverlay()
clonalOverlay(scRep_example,
              reduction = "umap",
              freq.cutpoint = 0.3,
              bins = 5)
```

---

clonalProportion

*Examining the clonal space occupied by specific clones*

---

**Description**

This function calculates the relative clonal space occupied by the clones. The grouping of these clones is based on the parameter **clonalSplit**, at default, **clonalSplit** will group the clones into bins of 1:10, 11:100, 101:1001, etc. To adjust the clones selected, change the numbers in the variable split. If a matrix output for the data is preferred, set **exportTable** = TRUE.

**Usage**

```
clonalProportion(
  input.data,
  clonalSplit = c(10, 100, 1000, 10000, 30000, 1e+05),
  cloneCall = "strict",
  chain = "both",
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
clonalSplit	The cut points for the specific clones.
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
exportTable	Exports a table of the data into the global environment in addition to the visualization.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot of the space occupied by the specific rank of clones

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
    "P19B", "P19L", "P20B", "P20L"))
clonalProportion(combined, cloneCall = "gene")
```

---

clonalQuant

*Quantify the unique clones by group or sample*


---

**Description**

This function quantifies unique clones. The unique clones can be either reported as a raw output or scaled to the total number of clones recovered using the scale parameter.

**Usage**

```
clonalQuant(
  input.data,
  cloneCall = "strict",
  chain = "both",
  scale = FALSE,
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL"
scale	Converts the graphs into percentage of unique clones.
group.by	The column header used for grouping.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot of the total or relative unique clones

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
    "P19B", "P19L", "P20B", "P20L"))
clonalQuant(combined, cloneCall="strict", scale = TRUE)
```

---

clonalRarefaction      *Calculate rarefaction based on the abundance of clones*

---

**Description**

This functions uses the Hill numbers of order  $q$ : species richness ( $q = 0$ ), Shannon diversity ( $q = 1$ ), the exponential of Shannon entropy and Simpson diversity ( $q = 2$ , the inverse of Simpson concentration) to compute diversity estimates for rarefaction and extrapolation. The function relies on the [iNEXT](#) R package. Please read and cite the [manuscript](#) if using this function. The input into the iNEXT calculation is abundance, incidence-based calculations are not supported.

**Usage**

```
clonalRarefaction(
  input.data,
  cloneCall = "strict",
  chain = "both",
  group.by = NULL,
  plot.type = 1,
  hill.numbers = 0,
  n.boots = 20,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

<code>input.data</code>	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
<code>chain</code>	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
<code>group.by</code>	The variable to use for grouping.
<code>plot.type</code>	sample-size-based rarefaction/extrapolation curve (type = 1); sample completeness curve (type = 2); coverage-based rarefaction/extrapolation curve (type = 3).
<code>hill.numbers</code>	The Hill numbers to be plotted out (0 - species richness, 1 - Shannon, 2 - Simpson)
<code>n.boots</code>	The number of bootstraps to downsample in order to get mean diversity.
<code>exportTable</code>	Exports a table of the data into the global environment in addition to the visualization.
<code>palette</code>	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
             "P19B", "P19L", "P20B", "P20L"))
clonalRarefaction(combined[c(1,2)], cloneCall = "gene", n.boots = 3)
```

---

clonalScatter

*Scatter plot comparing the clonal expansion of two samples*


---

## Description

This function produces a scatter plot directly comparing the specific clones between two samples. The clones will be categorized by counts into singlets or expanded, either exclusive or shared between the selected samples.

## Usage

```
clonalScatter(
  input.data,
  cloneCall = "strict",
  x.axis = NULL,
  y.axis = NULL,
  chain = "both",
  dot.size = "total",
  group.by = NULL,
  graph = "proportion",
  exportTable = FALSE,
  palette = "inferno"
)
```

## Arguments

<code>input.data</code>	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
<code>x.axis</code>	name of the list element to appear on the x.axis.
<code>y.axis</code>	name of the list element to appear on the y.axis.
<code>chain</code>	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
<code>dot.size</code>	either total or the name of the list element to use for size of dots.
<code>group.by</code>	The variable to use for grouping.
<code>graph</code>	graph either the clonal "proportion" or "count".
<code>exportTable</code>	Returns the data frame used for forming the graph.
<code>palette</code>	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

## Value

ggplot of the relative clone numbers between two sequencing runs or groups



**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                  "P19B", "P19L", "P20B", "P20L"))

clonalScatter(combined,
              x.axis = "P17B",
              y.axis = "P17L",
              graph = "proportion")
```

---

clonalSizeDistribution

*Hierarchical clustering of clones using Gamma-GPD spliced threshold model*

---

**Description**

This function produces a hierarchical clustering of clones by sample using discrete gamma-GPD spliced threshold model. If using this model please read and cite powerTCR (more info available at [PMID: 30485278](https://pubmed.ncbi.nlm.nih.gov/30485278/)).

**Usage**

```
clonalSizeDistribution(
  input.data,
  cloneCall = "strict",
  chain = "both",
  method = "ward.D2",
  threshold = 1,
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
method	The clustering parameter for the dendrogram.
threshold	Numerical vector containing the thresholds the grid search was performed over.
group.by	The variable to use for grouping.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Details**

The probability density function (pdf) for the **Generalized Pareto Distribution (GPD)** is given by:

$$f(x|\mu, \sigma, \xi) = \frac{1}{\sigma} \left( 1 + \xi \left( \frac{x - \mu}{\sigma} \right) \right)^{-\left(\frac{1}{\xi} + 1\right)}$$

Where:

- $\mu$  is a location parameter
- $\sigma > 0$  is a scale parameter
- $\xi$  is a shape parameter
- $x \geq \mu$  if  $\xi \geq 0$  and  $\mu \leq x \leq \mu - \sigma/\xi$  if  $\xi < 0$

The probability density function (pdf) for the **Gamma Distribution** is given by:

$$f(x|\alpha, \beta) = \frac{x^{\alpha-1} e^{-x/\beta}}{\beta^\alpha \Gamma(\alpha)}$$

Where:

- $\alpha > 0$  is the shape parameter
- $\beta > 0$  is the scale parameter
- $x \geq 0$
- $\Gamma(\alpha)$  is the gamma function of  $\alpha$

**Value**

ggplot dendrogram of the clone size distribution

**Author(s)**

Hillary Koch

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
clonalSizeDistribution(combined, cloneCall = "strict", method="ward.D2")
```

---

 combineBCR

 Combining the list of B cell receptor contigs into clones
 

---

## Description

This function consolidates a list of BCR sequencing results to the level of the individual cell barcodes. Using the samples and ID parameters, the function will add the strings as prefixes to prevent issues with repeated barcodes. The resulting new barcodes will need to match the Seurat or SCE object in order to use, [combineExpression](#). Unlike [combineTCR](#), combineBCR produces a column **CTstrict** of an index of nucleotide sequence and the corresponding V gene. This index automatically calculates the Levenshtein distance between sequences with the same V gene and will index sequences using a normalized Levenshtein distance with the same ID. After which, clone clusters are called using the [components](#) function. Clones that are clustered across multiple sequences will then be labeled with "Cluster" in the CTstrict header.

## Usage

```
combineBCR(
  input.data,
  samples = NULL,
  ID = NULL,
  call.related.clones = TRUE,
  threshold = 0.85,
  removeNA = FALSE,
  removeMulti = FALSE,
  filterMulti = TRUE
)
```

## Arguments

<code>input.data</code>	List of filtered contig annotations or outputs from <a href="#">loadContigs</a> .
<code>samples</code>	The labels of samples
<code>ID</code>	The additional sample labeling (optional).
<code>call.related.clones</code>	Use the nucleotide sequence and V gene to call related clones. Default is set to TRUE. FALSE will return a CTstrict or strict clone as V gene + amino acid sequence.
<code>threshold</code>	The normalized edit distance to consider. The higher the number the more similarity of sequence will be used for clustering.
<code>removeNA</code>	This will remove any chain without values.
<code>removeMulti</code>	This will remove barcodes with greater than 2 chains.
<code>filterMulti</code>	This option will allow for the selection of the highest-expressing light and heavy chains, if not calling related clones.

**Value**

List of clones for individual cell barcodes

**Examples**

```
#Data derived from the 10x Genomics intratumoral NSCLC B cells
BCR <- read.csv("https://www.borch.dev/uploads/contigs/b_contigs.csv")
combined <- combineBCR(BCR,
                      samples = "Patient1",
                      threshold = 0.85)
```

---

combineExpression      *Adding clone information to a single-cell object*

---

**Description**

This function adds the immune receptor information to the Seurat or SCE object to the meta data. By default this function also calculates the frequencies and proportion of the clones by sequencing run (**group.by** = NULL). To change how the frequencies/proportions are calculated, select a column header for the **group.by** variable. Importantly, before using `combineExpression` ensure the barcodes of the single-cell object match the barcodes in the output of the `combineTCR` or `combineBCR`.

**Usage**

```
combineExpression(
  input.data,
  sc.data,
  cloneCall = "strict",
  chain = "both",
  group.by = NULL,
  proportion = TRUE,
  filterNA = FALSE,
  cloneSize = c(Rare = 1e-04, Small = 0.001, Medium = 0.01, Large = 0.1, Hyperexpanded =
    1),
  addLabel = FALSE
)
```

**Arguments**

<code>input.data</code>	The product of <code>combineTCR</code> , <code>combineBCR</code> or a list of both <code>c(combineTCR, combineBCR)</code> .
<code>sc.data</code>	The Seurat or Single-Cell Experiment (SCE) object to attach
<code>cloneCall</code>	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.

chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
group.by	The column label in the combined clones in which clone frequency will be calculated. <b>NULL</b> or " <b>none</b> " will keep the format of input.data.
proportion	Whether to proportion ( <b>TRUE</b> ) or total frequency ( <b>FALSE</b> ) of the clone based on the group.by variable.
filterNA	Method to subset Seurat/SCE object of barcodes without clone information
cloneSize	The bins for the grouping based on proportion or frequency. If proportion is <b>FALSE</b> and the cloneSizes are not set high enough based on frequency, the upper limit of cloneSizes will be automatically updated.S
addLabel	This will add a label to the frequency header, allowing the user to try multiple group.by variables or recalculate frequencies after subsetting the data.

## Value

Single-cell object with clone information added to meta data information

## Examples

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                  "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined, scRep_example)
```

---

combineTCR

*Combining the list of T cell receptor contigs into clones*

---

## Description

This function consolidates a list of TCR sequencing results to the level of the individual cell barcodes. Using the **samples** and **ID** parameters, the function will add the strings as prefixes to prevent issues with repeated barcodes. The resulting new barcodes will need to match the Seurat or SCE object in order to use, [combineExpression](#). Several levels of filtering exist - *removeNA*, *removeMulti*, or *filterMulti* are parameters that control how the function deals with barcodes with multiple chains recovered.

**Usage**

```
combineTCR(
  input.data,
  samples = NULL,
  ID = NULL,
  removeNA = FALSE,
  removeMulti = FALSE,
  filterMulti = FALSE
)
```

**Arguments**

input.data	List of filtered contig annotations or outputs from <a href="#">loadContigs</a> .
samples	The labels of samples (recommended).
ID	The additional sample labeling (optional).
removeNA	This will remove any chain without values.
removeMulti	This will remove barcodes with greater than 2 chains.
filterMulti	This option will allow for the selection of the 2 corresponding chains with the highest expression for a single barcode.

**Value**

List of clones for individual cell barcodes

**Examples**

```
combined <- combineTCR(contig_list,
  samples = c("P17B", "P17L", "P18B", "P18L",
    "P19B", "P19L", "P20B", "P20L"))
```

---

contig\_list

*A list of 8 single-cell T cell receptor sequences runs.*

---

**Description**

A list of 8 ‘filtered\_contig\_annotations.csv’ files outputted from 10X Cell Ranger. More information on the data can be found in the following [manuscript](#).

---

createHTOContigList    *Generate a contig list from a multiplexed experiment*

---

## Description

This function reprocess and forms a list of contigs for downstream analysis in scRepertoire, [createHTOContigList](#) take the filtered contig annotation output and the single-cell RNA object to create the list. If using an integrated single-cell object, it is recommended to split the object by sequencing run and remove extra prefixes and suffixes on the barcode before using [createHTOContigList](#). Alternatively, the variable **multi.run** can be used to separate a list of contigs by a meta data variable. This may have issues with the repeated barcodes.

## Usage

```
createHTOContigList(contig, sc.data, group.by = NULL, multi.run = NULL)
```

## Arguments

contig	The filtered contig annotation file from multiplexed experiment
sc.data	The Seurat or Single-Cell Experiment object.
group.by	One or more meta data headers to create the contig list based on. If more than one header listed, the function combines them into a single variable.
multi.run	If using integrated single-cell object, the meta data variable that indicates the sequencing run.

## Value

Returns a list of contigs as input for [combineBCR](#) or [combineTCR](#)

## Examples

```
## Not run:
filtered.contig <- read.csv("../Sample/outs/filtered_contig_annotations.csv")

contig.list <- createHTOContigList(contig = filtered.contig,
                                  sc.data = Seurat.Obj,
                                  group.by = "HTO_maxID")

## End(Not run)
```

---

`exportClones`*Exporting clones*

---

### Description

This function saves a csv file of clones (genes, amino acid, and nucleotide sequences) by barcodes. **format** determines the structure of the csv file - *paired* will export sequences by barcodes and include multiple chains, *airr* will export a data frame that is consistent with the AIRR format, and *TCRMatch* will export a data frame that has the TRB chain with count information.

### Usage

```
exportClones(  
  input.data,  
  format = "paired",  
  group.by = NULL,  
  write.file = TRUE,  
  dir = NULL,  
  file.name = "clones.csv"  
)
```

### Arguments

<code>input.data</code>	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
<code>format</code>	The format to export the clones - "paired", "airr", or "TCRMatch".
<code>group.by</code>	The variable to use for grouping.
<code>write.file</code>	<b>TRUE</b> , save the file or <b>FALSE</b> , return a data.frame
<code>dir</code>	directory location to save the csv
<code>file.name</code>	the csv file name

### Value

CSV file of the paired sequences.

### Author(s)

Jonathan Noonan, Nick Borcharding

### Examples

```
## Not run:  
#Making combined contig data  
combined <- combineTCR(contig_list,  
                      samples = c("P17B", "P17L", "P18B", "P18L",  
                                "P19B", "P19L", "P20B", "P20L"))  
exportClones(combined,  
             format = "paired")
```



```
## End(Not run)
```

---

getCirclize	<i>Generate data frame to be used with circlize R package to visualize clones as a chord diagram.</i>
-------------	-------------------------------------------------------------------------------------------------------

---

## Description

This function will take the meta data from the product of [combineExpression](#) and generate a relational data frame to be used for a chord diagram. Each cord will represent the number of clone unique and shared across the multiple **group.by** variable. If using the downstream circlize R package, please read and cite the following [manuscript](#). If looking for more advance ways for circular visualizations, there is a great [cookbook](#) for the circlize package.

## Usage

```
getCirclize(sc.data, cloneCall = "strict", group.by = NULL, proportion = FALSE)
```

## Arguments

sc.data	The single-cell object after <a href="#">combineExpression</a> .
cloneCall	How to call the clone - VDJC gene (gene), CDR3 nucleotide (nt), CDR3 amino acid (aa), VDJC gene + CDR3 nucleotide (strict) or a custom variable in the data.
group.by	The group header for which you would like to analyze the data.
proportion	Calculate the relationship unique clones (proportion = FALSE) or normalized by proportion (proportion = TRUE)

## Value

A data frame of shared clones between groups formatted for [chordDiagram](#)

## Author(s)

Dillon Corvino, Nick Borcharding

## Examples

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))
scRep_example <- combineExpression(combined,
```

```

                                scRep_example)

#Getting data frame output for Circlize
circles <- getCirclize(scRep_example,
                      group.by = "seurat_clusters")

```

---

highlightClones

*Highlighting specific clones in Seurat*


---

### Description

Use a specific clonal sequence to highlight on top of the dimensional reduction in single-cell object.

### Usage

```

highlightClones(
  sc.data,
  cloneCall = c("gene", "nt", "aa", "strict"),
  sequence = NULL
)

```

### Arguments

sc.data	The single-cell object to attach after <a href="#">combineExpression</a>
cloneCall	How to call the clone - VDJC gene (gene), CDR3 nucleotide (nt), CDR3 amino acid (aa), VDJC gene + CDR3 nucleotide (strict) or a custom variable in the data.
sequence	The specific sequence or sequence to highlight

### Value

Single-cell object object with new meta data column for indicated clones

### Examples

```

#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))

#Using combineExpression()
scRep_example <- combineExpression(combined,
                                  scRep_example)

```

```
#Using highlightClones()
scRep_example <- highlightClones(scRep_example,
                                cloneCall= "aa",
                                sequence = c("CVVSDNTGGFKTIF_CASSVRRERANTGELFF"))
```

---

loadContigs                      *Loading the contigs derived from single-cell sequencing*

---

## Description

This function generates a contig list and formats the data to allow for function with [combineTCR](#) or [combineBCR](#). If using data derived from filtered outputs of 10X Genomics, there is no need to use this function as the data is already compatible.

## Usage

```
loadContigs(input, format = "10X")
```

## Arguments

input	The directory in which contigs are located or a list with contig elements
format	The format of the single-cell contig, currently supporting: "10X", "AIRR", "BD", "JSON", "MiXCR", "Omniscope", "TRUST4", and "WAT3R"

## Details

The files that this function parses includes:

- 10X = "filtered\_contig\_annotations.csv"
- AIRR = "airr\_rearrangement.tsv"
- BD = "Contigs\_AIRR.tsv"
- Immcantation = "data.tsv"
- JSON = ".json"
- MiXCR = "clones.tsv"
- Omniscope = ".csv"
- TRUST4 = "barcode\_report.tsv"
- WAT3R = "barcode\_results.csv"

## Value

List of contigs for compatibility with [combineTCR](#) or [combineBCR](#)

**Examples**

```
TRUST4 <- read.csv("https://www.borch.dev/uploads/contigs/TRUST4_contigs.csv")
contig.list <- loadContigs(TRUST4, format = "TRUST4")
```

```
BD <- read.csv("https://www.borch.dev/uploads/contigs/BD_contigs.csv")
contig.list <- loadContigs(BD, format = "BD")
```

```
WAT3R <- read.csv("https://www.borch.dev/uploads/contigs/WAT3R_contigs.csv")
contig.list <- loadContigs(WAT3R, format = "WAT3R")
```

---

mini_contig_list	<i>Processed subset of 'contig_list'</i>
------------------	------------------------------------------

---

**Description**

A list of 8 data frames of T cell contigs outputted from the 'filtered\_contig\_annotation' files, but subsetted to 365 valid T cells which correspond to the same barcodes found in 'scRep\_example'. The data is originally derived from the following [manuscript](#).

**Usage**

```
data("mini_contig_list")
```

**Format**

An R 'list' of 'data.frame' objects

**See Also**

[contig\\_list](#)

---

percentAA	<i>Examining the relative amino acid composition by position</i>
-----------	------------------------------------------------------------------

---

**Description**

This function the proportion of amino acids along the residues of the CDR3 amino acid sequence.

**Usage**

```
percentAA(
  input.data,
  chain = "TRB",
  group.by = NULL,
  aa.length = 20,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
aa.length	The maximum length of the CDR3 amino acid sequence.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot of stacked bar graphs of amino acid proportions

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

percentAA(combined,
          chain = "TRB",
          aa.length = 20)
```

---

percentGenes

*Examining the VDJ gene usage across clones*

---

**Description**

This function the proportion V or J genes used by grouping variables. This function only quantifies single gene loci for indicated **chain**. For examining VJ pairing, please see code [percentVJ](#)

**Usage**

```
percentGenes(
  input.data,
  chain = "TRB",
  gene = "Vgene",
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL".
gene	"V", "D" or "J".
group.by	The variable to use for grouping.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot of percentage of indicated genes as a heatmap

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

percentGenes(combined,
             chain = "TRB",
             gene = "Vgene")
```

---

percentKmer

*Examining the relative composition of kmer motifs in clones.*

---

**Description**

This function the of kmer for nucleotide (**nt**) or amino acid (**aa**) sequences. Select the length of the kmer to quantify using the **motif.length** parameter.

**Usage**

```
percentKmer(
  input.data,
  chain = "TRB",
  cloneCall = "aa",
  group.by = NULL,
  motif.length = 3,
  top.motifs = 30,
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL".
cloneCall	How to call the clone - CDR3 nucleotide ( <b>nt</b> ) or CDR3 amino acid ( <b>aa</b> ).
group.by	The variable to use for grouping.
motif.length	The length of the kmer to analyze.
top.motifs	Return the n most variable motifs as a function of median absolute deviation.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <code>hcl.pals</code> .

**Value**

ggplot of percentage of kmers as a heatmap

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

percentKmer(combined,
            chain = "TRB",
            motif.length = 3)
```

---

percentVJ

*Quantifying the V and J gene usage across clones*

---

**Description**

This function the proportion V and J genes used by grouping variables for an indicated **chain** to produce a matrix of VJ gene pairings.

**Usage**

```
percentVJ(
  input.data,
  chain = "TRB",
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

### Arguments

input.data	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL"
group.by	The variable to use for grouping.
exportTable	Returns the data frame used for forming the graph
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

### Value

ggplot of percentage of V and J gene pairings as a heatmap

### Examples

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
percentVJ(combined, chain = "TRB")
```

---

positionalEntropy

*Examining the diversity of amino acids by position*

---

### Description

This function the diversity amino acids along the residues of the CDR3 amino acid sequence. Please see [clonalDiversity](#) for more information on the underlying methods for diversity/entropy calculations. Positions without variance will have a value reported as 0 for the purposes of comparison.

### Usage

```
positionalEntropy(
  input.data,
  chain = "TRB",
  group.by = NULL,
  aa.length = 20,
  method = "norm.entropy",
  exportTable = FALSE,
  palette = "inferno"
)
```



**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
aa.length	The maximum length of the CDR3 amino acid sequence.
method	The method to calculate the entropy/diversity - "shannon", "inv.simpson", "norm.entropy".
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <code>hcl.pals</code> .

**Value**

ggplot of line graph of diversity by position

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

positionalEntropy(combined,
                  chain = "TRB",
                  aa.length = 20)
```

---

positionalProperty     *Examining the mean property of amino acids by position*

---

**Description**

This function calculates the mean selected property for amino acids along the residues of the CDR3 amino acid sequence. The ribbon surrounding the individual line represents the 95 confidence interval.

**Usage**

```
positionalProperty(
  input.data,
  chain = "TRB",
  group.by = NULL,
  aa.length = 20,
  method = "Atchley",
  exportTable = FALSE,
  palette = "inferno"
)
```

**Arguments**

input.data	The product of <code>combineTCR</code> , <code>combineBCR</code> , or <code>combineExpression</code> .
chain	"TRA", "TRB", "TRG", "TRG", "IGH", "IGL".
group.by	The variable to use for grouping.
aa.length	The maximum length of the CDR3 amino acid sequence.
method	The method to calculate the property - "Atchley", "Kidera", "stScales", "tScales", or "VHSE".
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <code>hcl.pals</code> .

**Details**

More information for the individual methods can be found at the following citations:

**Atchley:** [citation](#)

**Kidera:** [citation](#)

**stScales:** [citation](#)

**tScales:** [citation](#)

**VHSE:** [citation](#)

**Value**

ggplot of line graph of diversity by position

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

positionalProperty(combined,
                  chain = "TRB",
                  method = "Atchley",
                  aa.length = 20)
```

---

scRep\_example

*A Seurat object of 500 single T cells,*

---

**Description**

The object is compatible with 'contig\_list' and the TCR sequencing data can be added with 'combineExpression'. The data is from 4 patients with acute respiratory distress, with samples taken from both the lung and peripheral blood. More information on the data can be found in the following [manuscript](#).

---

StartracDiversity      *Startrac-based diversity indices for single-cell RNA-seq*

---

### Description

This function utilizes the Startrac approach derived from [PMID: 30479382](#). Required to run the function, the "type" variable needs to include the difference in where the cells were derived. The output of this function will produce 3 indices: **expa** (clonal expansion), **migra** (cross-tissue migration), and **trans** (state transition). In order to understand the underlying analyses of the outputs please read and cite the linked manuscript.

### Usage

```
StartracDiversity(
  sc.data,
  cloneCall = "strict",
  chain = "both",
  type = NULL,
  group.by = NULL,
  exportTable = FALSE,
  palette = "inferno"
)
```

### Arguments

sc.data	The single-cell object after <a href="#">combineExpression</a> . For SCE objects, the cluster variable must be in the meta data under "cluster".
cloneCall	How to call the clone - VDJC gene ( <b>gene</b> ), CDR3 nucleotide ( <b>nt</b> ), CDR3 amino acid ( <b>aa</b> ), VDJC gene + CDR3 nucleotide ( <b>strict</b> ) or a custom variable in the data.
chain	indicate if both or a specific chain should be used - e.g. "both", "TRA", "TRG", "IGH", "IGL".
type	The variable in the meta data that provides tissue type.
group.by	The variable in the meta data to group by, often samples.
exportTable	Returns the data frame used for forming the graph.
palette	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

### Value

ggplot object of Startrac diversity metrics

### Author(s)

Liangtao Zheng

**Examples**

```
#Getting the combined contigs
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))

#Getting a sample of a Seurat object
scRep_example <- get(data("scRep_example"))
scRep_example <- combineExpression(combined, scRep_example)
scRep_example$Patient <- substring(scRep_example$orig.ident,1,3)
scRep_example$Type <- substring(scRep_example$orig.ident,4,4)

#Using StartracDiversity()
StartracDiversity(scRep_example,
                  type = "Type",
                  group.by = "Patient")
```

---

subsetClones	<i>Subset the product of <code>combineTCR()</code> or <code>combineBCR()</code></i>
--------------	-------------------------------------------------------------------------------------

---

**Description**

This function allows for the subsetting of the product of `combineTCR` or `combineBCR` by the name of the individual list element.

**Usage**

```
subsetClones(input.data, name, variables = NULL)
```

**Arguments**

input.data	The product of <code>combineTCR</code> or <code>combineBCR</code> .
name	The column header/name to use for subsetting.
variables	The values to subset by, must be in the names(input.data).

**Value**

list of contigs that have been filtered for the name parameter

**Examples**

```
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                   "P19B", "P19L", "P20B", "P20L"))
subset <- subsetClones(combined, name = "sample", variables = c("P17B"))
```

**Description**

This function will allow for the visualizing the distribution of the any VDJ and C gene of the TCR or BCR using heatmap or bar chart. This function requires assumes two chains were used in defining clone, if not, it will default to the only chain present regardless of the chain parameter.

**Usage**

```

vizGenes(
  input.data,
  x.axis = "TRBV",
  y.axis = NULL,
  group.by = NULL,
  plot = "heatmap",
  order = "gene",
  scale = TRUE,
  exportTable = FALSE,
  palette = "inferno"
)

```

**Arguments**

<code>input.data</code>	The product of <a href="#">combineTCR</a> , <a href="#">combineBCR</a> , or <a href="#">combineExpression</a> .
<code>x.axis</code>	Gene segments to separate the x-axis, such as "TRAV", "TRBD", "IGKJ".
<code>y.axis</code>	Variable to separate the y-axis, can be both categorical or other gene gene segments, such as "TRAV", "TRBD", "IGKJ".
<code>group.by</code>	Variable in which to group the diversity calculation.
<code>plot</code>	The type of plot to return - heatmap or barplot.
<code>order</code>	Categorical variable to organize the x-axis, either "gene" or "variance"
<code>scale</code>	Converts the individual count of genes to proportion using the total respective repertoire size
<code>exportTable</code>	Returns the data frame used for forming the graph.
<code>palette</code>	Colors to use in visualization - input any <a href="#">hcl.pals</a> .

**Value**

ggplot bar diagram or heatmap of gene usage

**Examples**

```
#Making combined contig data
combined <- combineTCR(contig_list,
                      samples = c("P17B", "P17L", "P18B", "P18L",
                                "P19B", "P19L", "P20B", "P20L"))

vizGenes(combined,
         x.axis = "TRBV",
         y.axis = NULL,
         plot = "heatmap")
```

# Index

- \* **Data**
  - contig\_list, 30
  - mini\_contig\_list, 36
  - scRep\_example, 42
- \* **Loading\_and\_Processing\_Contigs**
  - addVariable, 3
  - combineBCR, 27
  - combineTCR, 29
  - createHTOContigList, 31
  - exportClones, 32
  - loadContigs, 35
  - subsetClones, 44
- \* **SC\_Functions**
  - alluvialClones, 4
  - clonalBias, 7
  - clonalNetwork, 15
  - clonalOccupy, 16
  - clonalOverlay, 19
  - combineExpression, 28
  - getCirclize, 33
  - highlightClones, 34
  - StartracDiversity, 43
- \* **Summarize\_Repertoire**
  - percentAA, 36
  - percentGenes, 37
  - percentKmer, 38
  - percentVJ, 39
  - positionalEntropy, 40
  - positionalProperty, 41
- \* **Visualizing\_Clones**
  - clonalAbundance, 6
  - clonalCluster, 8
  - clonalCompare, 9
  - clonalDiversity, 11
  - clonalHomeostasis, 13
  - clonalLength, 14
  - clonalOverlap, 18
  - clonalProportion, 20
  - clonalQuant, 21
  - clonalRarefaction, 22
  - clonalScatter, 24
  - clonalSizeDistribution, 25
  - vizGenes, 45
- \* **datasets**
  - mini\_contig\_list, 36
- \* **internal**
  - scRepertoire-package, 3
- addVariable, 3
- alluvialClones, 4
- chordDiagram, 33
- clonalAbundance, 6
- clonalBias, 7, 7
- clonalCluster, 8
- clonalCompare, 9
- clonalDiversity, 11, 40
- clonalHomeostasis, 13
- clonalLength, 14
- clonalNetwork, 15
- clonalOccupy, 16
- clonalOverlap, 18
- clonalOverlay, 19
- clonalProportion, 20
- clonalQuant, 21
- clonalRarefaction, 22
- clonalScatter, 24
- clonalSizeDistribution, 25
- combineBCR, 3, 4, 6, 8–11, 13, 14, 18, 21–25, 27, 28, 31, 32, 35, 37–42, 44, 45
- combineExpression, 4–11, 13–18, 20–25, 27, 28, 28, 29, 32–34, 37–43, 45
- combineTCR, 3, 4, 6, 8–11, 13, 14, 18, 21–25, 27, 28, 29, 31, 32, 35, 37–42, 44, 45
- components, 27
- contig\_list, 30, 36
- createHTOContigList, 31, 31
- exportClones, 32

getCirclize, [33](#)

hcl.pals, [5–7](#), [10](#), [11](#), [13](#), [14](#), [16–18](#), [21–25](#),  
[37–43](#), [45](#)

highlightClones, [34](#)

iNEXT, [22](#)

loadContigs, [27](#), [30](#), [35](#)

mini\_contig\_list, [36](#)

percentAA, [36](#)

percentGenes, [37](#)

percentKmer, [38](#)

percentVJ, [37](#), [39](#)

positionalEntropy, [40](#)

positionalProperty, [41](#)

scRep\_example, [42](#)

scRepertoire (scRepertoire-package), [3](#)

scRepertoire-package, [3](#)

StartracDiversity, [43](#)

subsetClones, [44](#)

vizGenes, [45](#)