

# Package ‘minfiData’

July 25, 2024

**Version** 0.50.0

**Title** Example data for the Illumina Methylation 450k array

**Description** Data from 6 samples across 2 groups from 450k methylation arrays.

**Author** Kasper Daniel Hansen, Martin Aryee, Winston Timp

**Maintainer** Kasper Daniel Hansen <kasperdanielhansen@gmail.com>

**License** Artistic-2.0

**Depends** R (>= 3.3.0), minfi (>= 1.21.2),  
IlluminaHumanMethylation450kmanifest,  
IlluminaHumanMethylation450kanno.ilmn12.hg19

**LazyData** yes

**biocViews** Homo\_sapiens\_Data, MethylationArrayData, MicroarrayData

**git\_url** <https://git.bioconductor.org/packages/minfiData>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** da12b7b

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-07-25

## Contents

MsetEx . . . . .	2
RGsetEx . . . . .	3
<b>Index</b>	<b>4</b>

---

MsetEx	<i>An example dataset for Illumina's Human Methylation 450k dataset, after preprocessing.</i>
--------	---

---

## Description

This contains the raw data for 6 samples from Illumina's Human Methylation 450k dataset. The data has been preprocessed.

## Usage

```
data(MsetEx)
data(MsetEx.sub)
```

## Details

Currently, the pheno data for these 6 samples are masked. Scripts for creating the object is found in the `scripts` directory of the package and `extdata` contains the IDAT files. The data has been preprocessed using `preprocessRaw`.

The `MsetEx.sub` is a subset with 600 CpGs (200 of Type II, 200 of Type I - Red and 200 of Type II - Green), used for examples.

## Value

An object of class "MethylSet"

## See Also

[MethylSet](#) for the class definition, [preprocessRaw](#) for the preprocessing function, [RGsetEx](#) for the companion raw data.

## Examples

```
data(MsetEx)
data(MsetEx.sub)
pData(MsetEx)
```

---

`RGsetEx`*An example dataset for Illumina's Human Methylation 450k dataset.*

---

**Description**

This contains the raw data for 6 samples from Illumina's Human Methylation 450k dataset.

**Usage**

```
data(RGsetEx)
data(RGsetEx.sub)
```

**Details**

Currently, the pheno data for these 6 samples are masked. Scripts for creating the object is found in the `scripts` directory of the package and `extdata` contains the IDAT files.

The `RGsetEx.sub` is a subset with 600 CpGs (200 of Type II, 200 of Type I - Red and 200 of Type II - Green), used for examples.

**Value**

An object of class "RGChannelSet"

**See Also**

[RGChannelSet](#) for the class definition, [MsetEx](#) for the comparison preprocessed data.

**Examples**

```
data(RGsetEx)
data(RGsetEx.sub)
pData(RGsetEx)
```

# Index

## \* **datasets**

MsetEx, [2](#)

RGsetEx, [3](#)

MethylSet, [2](#)

MsetEx, [2](#), [3](#)

preprocessRaw, [2](#)

RGChannelSet, [3](#)

RGsetEx, [2](#), [3](#)