

An Introduction to the *metabomxtr* package

Michael Nodzenski, Anna C. Reisetter, Denise M. Scholtens

October 14, 2015

1 Introduction

High-throughput metabolomics profiling has surged in popularity, but the frequent occurrence of missing data remains a common challenge to analyzing non-targeted output. In practice, complete case analysis, imputation, and adaptations of classic dimension reduction tools to allow for missing data have been used. A more elegant approach for metabolite-by-metabolite analysis is the Bernoulli/lognormal mixture-model proposed by Moulton and Halsey (1995), which simultaneously estimates parameters modeling the probability of non-missing response and the mean of observed values. The *metabomxtr* package has been developed to automate the process of mixture model analysis.

2 Sample Mixture Model Analysis

The following commands demonstrate typical usage of *metabomxtr*. First, load the package.

```
> library(metabomxtr)
```

Next, load *metabdata*, the sample dataset. *Metabdata* contains metabolite levels and phenotype data of 115 of pregnant women. Columns 1:10 contain phenotype data and columns 11:59 contain log transformed metabolite levels, with missing values indicated by NA. Users should note that while *metabdata* is a data frame, *metabomxtr* can also accommodate matrix and *ExpressionSet* objects, and the function use is the same. For *ExpressionSets*, metabolites should be in rows of the *exprs* section, and phenotype data in columns of the *pData* section.

```
> data(metabdata)
> dim(metabdata)
```

```
[1] 115  59
```


For this analysis, malonic acid, ribose, phenylalanine, and pyruvic acid are the metabolites of interest. These variables are in columns 24:27 of the dataset. We'll define a character vector of the corresponding column names for use later on, and check the number of missing values in each column.

```
> yvars<-colnames(metabdata)[24:27]
> apply(metabdata[,yvars],2,function(x){sum(is.na(x))})
```

malonic.acid	ribose	phenylalanine	pyruvic.acid
6	38	35	7

We'll also check the distributions of the metabolites.

```
> par(mfrow = c(2, 2))
> hist(metabdata$malonic.acid,main="Malonic Acid",xlab=NULL)
> hist(metabdata$ribose,main="Ribose",xlab=NULL)
> hist(metabdata$phenylalanine,main="Phenylalanine",xlab=NULL)
> hist(metabdata$pyruvic.acid,main="Pyruvic Acid",xlab=NULL)
```



Each of the metabolites contains missing values and the data look fairly normal, so mixture model analysis seems appropriate.

The woman's phenotype (variable PHENO) will be the predictor of interest. This variable indicates whether the woman had high (MomHighFPG) or low (MomLowFPG) fasting plasma glucose measurements. Our goal is to determine if women with high FPG have significantly different metabolite levels than women with low FPG. To do this, we need to set the MomLowFPG group as the reference level of PHENO.

```
> levels(metabdata$PHENO)

[1] "MomHighFPG" "MomLowFPG"

> metabdata$PHENO<-relevel(metabdata$PHENO,ref="MomLowFPG")
```

Also, determine how many subjects are in each group.

```
> table(metabdata$PHENO)

MomLowFPG MomHighFPG
      48       67
```

Next, we need to specify the full mixture model. This should be of the form $\sim x_1+x_2\ldots|z_1+z_2\ldots$, where x's represent covariates modeling metabolite presence/absence (discrete portion), and z's are covariates modeling the mean of observed values (continuous portion). The predictor of interest should be included in both the discrete and continuous portions of the full model. In addition, we'll control for the woman's age, gestational age, sample storage time, and parity in the continuous portion.

```
> fullModel<-~PHENO|PHENO+age_ogtt_mc+ga_ogtt_wks_mc+storageTimesYears_mc+parity12
```

The *mxtrmod* function can then be used to run the full model on each of the 4 metabolites of interest.

```
> fullModelResults<-mxtrmod(ynames=yvars,mxtrModel=fullModel,data=metabdata)
> fullModelResults
```

	.id	xInt	x_PHENOMomHighFPG	zInt	z_PHENOMomHighFPG	
1	malonic.acid	3.8486037	-1.3313474	19.17929	0.2035842	
2	ribose	0.9921829	-0.4706017	16.63088	-0.1778932	
3	phenylalanine	0.4704183	0.7426400	18.60267	0.1971032	
4	pyruvic.acid	2.1510958	1.3299410	17.76208	0.8375925	
	z_age_ogtt_mc	z_ga_ogtt_wks_mc	z_storageTimesYears_mc	z_parity12	sigma	
1	0.005360882	0.018781049	0.09622669	-0.3437822	0.5618176	
2	0.022323724	0.054478142	0.15368987	-0.4728915	0.5876579	
3	-0.036662546	0.024677632	-0.04219563	-0.1820605	0.8745283	
4	-0.012049145	-0.007358643	0.04421712	-0.2179797	1.0927908	
	method	conv	negLL	nObs		
1	BFGS	0	114.4586	115		
2	BFGS	0	140.3466	115		
3	BFGS	0	167.5460	115		
4	BFGS	0	187.8470	115		

In the output data frame, the .id column indicates metabolite, columns beginning with x's are parameter estimates for the discrete portion of the model, columns beginning with z's are parameter estimates for the continuous portion, sigma is the variance of observed values, method is the optimization algorithm used, conv indicates whether the model converged (0=convergence), negLL is the negative log likelihood, and nObs is the number of observations used.

After running the full model, we need to specify a reduced model. Because our goal is to evaluate the significance of the contribution of phenotype to *both* the continuous and discrete portions of the mixture model, we'll remove PHENO from both portions.

```
> reducedModel<-~1|age_ogtt_mc+ga_ogtt_wks_mc+storageTimesYears_mc+parity12
```

Then, we'll use *mxtrmod* to run the reduced models. Users should note the importance of specifying the *fullModel* parameter when running reduced models, which ensures that if model covariates have missing values, both full and reduced model results are based on the same set of observations.

```
> reducedModelResults<-mxtrmod(ynames=yvars,mxtrModel=reducedModel,data=metabdata,fullModel=fullModel)
> reducedModelResults
```

	.id	xInt	zInt	z_age_ogtt_mc	z_ga_ogtt_wks_mc		
1	malonic.acid	2.8995885	19.28683	0.007914748	0.021037116		
2	ribose	0.7083320	16.54123	0.020149131	0.049069889		
3	phenylalanine	0.8704897	18.71831	-0.033508456	0.023993687		
4	pyruvic.acid	2.7363300	18.21829	-0.002850313	0.007865996		
	z_storageTimesYears_mc	z_parity12	sigma	method	conv	negLL	nObs
1	0.10560226	-0.32227707	0.5702159	BFGS	0	116.9946	115
2	0.15377639	-0.49431088	0.5941030	BFGS	0	141.8404	115
3	-0.04000707	-0.13289531	0.8754206	BFGS	0	169.5777	115
4	0.07870625	-0.07152885	1.1619202	BFGS	0	195.8161	115

Finally, the significance of full vs. reduced models can be examined using nested likelihood ratio χ^2 tests via the *mx-trmodLRT* function. Required parameters include the output data frames from *mxtrmod* for full (parameter *fullmod*) and reduced models (parameter *redmod*). Optionally, the user may use the *adj* parameter to specify method of adjustment for multiple testing.

```
> finalResult<-mxtrmodLRT(fullmod=fullModelResults,redmod=reducedModelResults,adj="BH")
> finalResult
```

	.id	negLLFull	negLLRed	chisq	df	p	adjP
1	malonic.acid	114.4586	116.9946	5.072059	2	0.0791801419	0.158360284
2	ribose	140.3466	141.8404	2.987678	2	0.2245091538	0.224509154
3	phenylalanine	167.5460	169.5777	4.063284	2	0.1311200416	0.174826722
4	pyruvic.acid	187.8470	195.8161	15.938036	2	0.0003460185	0.001384074

Similar to *mxtrmod* output, .id indicates metabolite, negLLFull is the negative log likelihood of the full model, negLLRed is the negative log likelihood of the reduced model, chisq is the test statistic, df are the degrees of freedom, p is the unadjusted p-value, and adjP is the adjusted p-value. Based on the FDR adjusted p-values, pyruvic acid levels are significantly different in women with high compared to low fasting plasma glucose (p=0.0014). Levels of the other three metabolites did not vary significantly between FPG groups.

As a last step, we'll put together a results table. First, calculate the estimated proportion of metabolites present for high and low FPG women.

```
> HighFPG.Prop<-round(exp(fullModelResults$xInt+fullModelResults$x_PHENOMomHighFPG)/
+ (1+exp(fullModelResults$xInt+fullModelResults$x_PHENOMomHighFPG)),digits=2)
> LowFPG.Prop<-round(exp(fullModelResults$xInt)/(1+exp(fullModelResults$xInt)),digits=2)
```

Next, calculate the estimated mean metabolite levels by FPG status, and estimated mean difference.

```
> HighFPG.Mean<-round(fullModelResults$zInt+fullModelResults$z_PHENOMomHighFPG,digits=2)
> LowFPG.Mean<-round(fullModelResults$zInt,digits=2)
> FPG.MeanDiff<-round(fullModelResults$z_PHENOMomHighFPG,digits=2)
```

Then combine with metabolite names and FDR adjusted p-values.

```
> finalResultTable<-data.frame(Metabolite=fullModelResults$.id,HighFPG.Prop=HighFPG.Prop,
+ LowFPG.Prop=LowFPG.Prop,HighFPG.Mean=HighFPG.Mean,
+ LowFPG.Mean=LowFPG.Mean,Mean.Difference=FPG.MeanDiff,
+ FDR.Adj.P=round(finalResult$adjP,digits=4))
```

Below are the final results.

	Metabolite	HighFPG.Prop	LowFPG.Prop	HighFPG.Mean	LowFPG.Mean	Mean.Difference	FDR.Adj.P
1	malonic.acid	0.93	0.98	19.38	19.18	0.20	0.1584
2	ribose	0.63	0.73	16.45	16.63	-0.18	0.2245
3	phenylalanine	0.77	0.62	18.80	18.60	0.20	0.1748
4	pyruvic.acid	0.97	0.90	18.60	17.76	0.84	0.0014

3 Session Information

- R version 3.2.2 Patched (2015-10-08 r69496), x86_64-apple-darwin10.8.0
- Locale: en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
- Base packages: base, datasets, graphics, grDevices, methods, parallel, stats, utils
- Other packages: BB 2014.10-1, Biobase 2.30.0, BiocGenerics 0.16.0, dfoptim 2011.8-1, metabomxtr 1.4.0, minqa 1.2.4, numDeriv 2014.2-1, optextras 2013-10.28, Rcgmin 2013-2.21, Rvmmmin 2013-11.12, ucminf 1.1-3, xtable 1.7-4
- Loaded via a namespace (and not attached): Formula 1.2-1, MASS 7.3-44, multtest 2.26.0, optimx 2014.5.4, plyr 1.8.3, quadprog 1.5-5, Rcpp 0.12.1, splines 3.2.2, stats4 3.2.2, survival 2.38-3, tools 3.2.2

4 References

Moulton LH, Halsey NA. A mixture model with detection limits for regression analyses of antibody response to vaccine. *Biometrics*. 1995 Dec;51(4):1570-8.