

# LymphoSeqDB

October 13, 2016

---

prevalenceTRB

*Prevalence of T cell receptor beta CDR3 amino acid sequences*

---

## Description

A database of unique productive T cell receptor beta CDR3 amino acid sequences from the peripheral blood of 55 healthy individuals, age range 0-90 years.

## Usage

prevalenceTRB

## Format

A dataframe with 11,724,292 rows and 2 columns. The first column corresponds to T cell receptor beta CDR3 amino acid sequences. The second column corresponds to the % frequency that the sequence appeared within the peripheral blood of 55 healthy individuals.

## Source

Sequencing from 39 individuals, age ranging from 0-90 years, was obtained from Britanova, O. V. et al. The Journal of Immunology 2014; 192: 2689-2698 (<http://mitcr.milaboratory.com/datasets/aging2013/>). Sequencing for the the remaining 16 individuals, age range from 17-67 years, was obtained from "Origin and evolution of the T-cell repertoire after posttransplantation cyclophosphamide" (<https://clients.adaptivebiotech.com/publishedProjects>).

---

publishedTRB

*Published T cell receptor beta CDR3 amino acid sequences with known antigen specificity*

---

**Description**

A database of unique productive T cell receptor beta CDR3 amino acid sequences with known antigen specificity.

**Usage**

publishedTRB

**Format**

A dataframe with 3,706 rows and 6 columns corresponding amino acid sequence, PubMed ID (PMID), HLA type, antigen specificity, epitope, and % prevalence that the sequence appeared within the peripheral blood of 55 healthy individuals.

**Source**

Citation for each sequence is provided as a PubMed ID (PMID) within the database. Steve House and Will DeWitt from Adaptive Biotechnologies helped to curate the list of published sequences.

# Index

## \*Topic **datasets**

prevalenceTRB, [1](#)

publishedTRB, [2](#)

prevalenceTRB, [1](#)

publishedTRB, [2](#)