Package 'affycompData'

October 16, 2018

Version 1.18.0
Title affycomp data
Author Rafael A. Irizarry <rafa@jhu.edu> and Zhijin Wu</rafa@jhu.edu>
<pre><zwu@stat.brown.edu> with contributions from Simon Cawley</zwu@stat.brown.edu></pre>
<pre><simon_cawley@affymetrix.com></simon_cawley@affymetrix.com></pre>
Maintainer Harris Jaffee <hj@jhu.edu></hj@jhu.edu>
Depends R ($>= 2.13.0$), methods, Biobase ($>= 2.3.3$), affycomp
Description Data needed by the affycomp package.
License GPL (>= 2)
biocViews MicroarrayData
git_url https://git.bioconductor.org/packages/affycompData
git_branch RELEASE_3_7
git_last_commit 9b1009d
git_last_commit_date 2018-04-30
Date/Publication 2018-10-16
R topics documented:
lw.sd.assessment1mas5.assessment2rma.assessment2rma.sd.assessment3
Index 4
lw.sd.assessment An example of the result of an SD assessment

Description

The Dilution files were processed with the dChip package (using PM-only), and then the function assessSD from the affycomp package was applied.

2 rma.assessment

Usage

```
data(lw.sd.assessment)
```

Format

A list.

mas5.assessment

Examples of the result of assessments

Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with Affymetrix MAS 5.0 software, yielding three "MAS 5.0" ExpressionSet's. (These are available, in csv-format, at http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030424.1033/.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. mas5.assessment resulted from assessAll on Dilution and HGU95; mas5.assessment.133 from assessSpikeIn on HGU133; mas5.assessment2 from assessSpikeIn2 on HGU95; and mas5.assessment2.133 from assessSpikeIn2 on HGU133.

Usage

```
data(mas5.assessment)
data(mas5.assessment.133)
data(mas5.assessment2)
data(mas5.assessment2.133)
```

Format

A list of list.

rma.assessment

Examples of the result of assessments

Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with the (version 1.0) function rma, yielding three "RMA" ExpressionSet's. (These are available, in csv-format, at http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030429.1332/.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. rma.assessment resulted from assessAll on Dilution and HGU95; rma.assessment.133 from assessSpikeIn on HGU133; rma.assessment2 from assessSpikeIn2 on HGU95; and rma.assessment2.133 from assessSpikeIn2 on HGU133.

Usage

```
data(rma.assessment)
data(rma.assessment.133)
data(rma.assessment2)
data(rma.assessment2.133)
```

rma.sd.assessment 3

Format

A list of list.

rma.sd.assessment

An example of the result of an SD assessment

Description

The Dilution files were processed with the affy version 1.0 package rma add-on function, and then the function assessSD from the affycomp package was applied.

Usage

```
data(rma.sd.assessment)
```

Format

A list.

Index

```
*Topic datasets
     lw.sd.assessment, 1
     mas5.assessment, 2
     rma.assessment, 2
     rma.sd.assessment, 3
assessAll, 2
assessSD, 1, 3
{\tt assessSpikeIn}, {\tt 2}
{\tt assessSpikeIn2}, \color{red} {\tt 2}
{\tt ExpressionSet}, {\color{red} 2}
{\tt lw.sd.assessment,1}
mas5.assessment, 2
\verb|mas5.assessment2| (\verb|mas5.assessment|), 2
rma, 2
\textit{rma.assessment}, 2
rma.assessment2 (rma.assessment), 2
rma.sd.assessment, 3
```