# Package 'ObMiTi'

May 9, 2024

Type Package

```
Title Ob/ob Mice Data on Normal and High Fat Diet
Version 1.12.0
Year 2021
Description The package provide RNA-seq count for 2 strains of mus mus-
      clus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received ei-
      ther chow diet or high fat diet. RNA expression was measured after 20 weeks in 7 tissues.
License GPL-3
URL https://github.com/OmarElAshkar/ObMiTi
BugReports https://github.com/OmarElAshkar/ObMiTi/issues
Encoding UTF-8
RoxygenNote 7.1.1
Depends R (>= 4.1), SummarizedExperiment, ExperimentHub
Suggests knitr, rmarkdown, BiocManager, GenomicFeatures, S4Vectors,
      devtools, testthat
VignetteBuilder knitr
biocViews ExperimentHub, GEO, RNASeqData
git_url https://git.bioconductor.org/packages/ObMiTi
git_branch RELEASE_3_19
git_last_commit e42acdd
git_last_commit_date 2024-04-30
Repository Bioconductor 3.19
Date/Publication 2024-05-09
Author Omar Elashkar [aut, cre] (<a href="https://orcid.org/0000-0002-5505-778X">https://orcid.org/0000-0002-5505-778X</a>),
      Mahmoud Ahmed [aut] (<a href="https://orcid.org/0000-0002-4377-6541">https://orcid.org/0000-0002-4377-6541</a>)
Maintainer Omar Elashkar < omar.i.elashkar@gmail.com>
```

ObMiTi

# **Contents**

	ObMiTi		. 2
Index			3
ObMiT	i	ObMiTi package	

## **Description**

Title: Ob/ob Mice Data on Normal and High Fat Diet The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received either chow diet or high fat diet. RNA expression was measured after 12 weeks in 7 tissues.

#### **Details**

The dataset can be accessed through the ExperimentHub as a RangedSummarizedExperiment object contains:

assay The read counts matrix.

colData The phenotype data of the samples

rowRanges The feature data and annotation of the peaks.

**metadata** extra details about the sample and associated phenotype studies. This is a data. frame of bibliography information of the studies from which the samples were collected for.

## **Examples**

```
# load the data object
library(ExperimentHub)

# query package resources on ExperimentHub
eh <- ExperimentHub()
query(eh, "ObMiTi")

# load data from ExperimentHub
ob_counts <- query(eh, "ObMiTi")[[1]]

# print object
ob_counts</pre>
```

# **Index**

ObMiTi, 2